www.surabooks.com



7th Standard



TERM-I

TERM-II

TERM-III

# **Based on the Upadted New Textbook**

## Salient Features:

- → Full Year Guide Comprise of All Three Terms Given Term-wise, As Per The Updated New Textbooks.
- Complete Solutions to Textbook Exercises.
- + Exhaustive Additional Questions in all Units.
- + Unit Test Question paper for each unit, with answer key
- ↑ 1<sup>st</sup>, 2<sup>nd</sup> and 3<sup>rd</sup> Term Summative Assessment questions are marked with the symbol
   ⊗ at the appropriate places in each unit.
- + First Term Summative Assessment-2024-25, Second Term Summative Assessment -2024-25 and Third Term Summative Assessment-2024-25 Question Papers are given with answers.



## **SURA PUBLICATIONS**

Chennai

**For Orders Contact** 



80562 94222 / 81242 01000 / 81243 01000 96001 75757 / 98409 26027

enquiry@surabooks.com

Ph: 8124201000 / 8124301000

#### © Reserved with Publishers

Code No.: FY-7-S-EM

#### Author:

Mr. A. Murugesan, M.Sc., M.Ed., M.Phil. Chennai

#### **Our Guides for Std. IX**

#### **FULL YEAR GUIDES**

- 💠 சுராவின் தமிழ் உரைநூல்
- Sura's Smart English Guide
- Sura's Maths Guide (EM & TM)
- Sura's Science Guide (EM &TM)
- Sura's Social Science Guide (EM & TM)

#### **Our Guides for Std. XI & XII**

#### **GUIDES**

- 💠 சுராவின் தமிழ் உரைநூல்
- Sura's Smart English
- Sura's Mathematics (EM/TM)
- Sura's Physics (EM/TM)
- Sura's Chemistry (EM/TM)
- Sura's Bio-Botany & Botany (EM/TM)
   (Short Version & Long Version)
- Sura's Bio-Zoology & Zoology (EM/TM) (Short Version & Long Version)

- Sura's Computer Science (EM/TM)
- Sura's Computer Applications (EM/TM)
- Sura's Commerce (EM/TM)
- Sura's Economics (EM/TM)
- Sura's Accountancy (EM/TM)
  - Sura's Business Maths (EM)

#### **Head Office**

#### **Sura Publications**

1620, 'J' Block, 16th Main Road, Anna Nagar, Chennai - 600 040.

**Phone**: 044 - 4862 9977, 044 - 4862 7755.

**E-mail :** orders@surabooks.com **Website :** www.surabooks.com

#### **For Orders Contact**



80562 94222 81242 01000

81243 01000

96001 75757

98409 26027

Ph: 8124201000 / 8124301000

22/04/2025

# **NOTE FROM PUBLISHER**

It gives me great pride and pleasure in bringing to you **Sura's Science Guide** for **7**<sup>th</sup> **Standard** [**Term-I+II+III**]. It is prepared as per the updated Textbook.

This guide encompasses all the requirements of the students to comprehend the text and the evaluation of the textbook.

Additional questions have been provided exhaustively for clear understanding of the units under study.

In order to learn effectively, I advise students to learn the subject section-wise and practice the exercises given. It will be a teaching companion to teachers and a learning companion to students.

Though these salient features are available in this Guide, I cannot negate the indispensable role of the teachers in assisting the student to understand the subject thoroughly.

I sincerely believe this guide satisfies the needs of the students and bolsters the teaching methodologies of the teachers.

I pray the almighty to bless the students for consummate success in their examinations.

Subash Raj, B.E., M.S.
- Publisher
Sura Publications

All the Best

(iii)

enquiry@surabooks.com

Ph: 8124201000 / 8124301000

#### TO ORDER WITH US

#### **SCHOOLS and TEACHERS:**

We are grateful for your support and patronage to 'SURA PUBLICATIONS'

Kindly prepare your order in your School letterhead and send it to us.

For Orders contact: 81242 01000 / 81243 01000

#### DIRECT DEPOSIT

A/c Name : Sura Publications

Our A/c No. : **36550290536** 

Bank Name : STATE BANK OF INDIA

Bank Branch: Padi

IFSC : SBIN0005083

A/c Name : Sura Publications
Our A/c No. : 21000210001240

Bank Name : UCO BANK

Bank Branch: Anna Nagar West IFSC: UCBA0002100

A/c Name : Sura Publications

Our A/c No. : **6502699356**Bank Name : **INDIAN BANK**Bank Branch : Asiad Colony

IFSC : IDIB000A098

A/c Name : **Sura Publications**Our A/c No. : **1154135000017684** 

Bank Name : **KVB BANK**Bank Branch : Anna Nagar
IFSC : KVBL0001154

A/c Name : **Sura Publications**Our A/c No. : **13240200032412** 

Bank Name : FEDERAL BANK

Bank Branch: Anna Nagar

IFSC : FDRL0001324

A/c Name : **Sura Publications** Our A/c No. : **50200031530945** 

Bank Name : HDFC BANK

Bank Branch: Cenotaph Road, Teynampet

IFSC : HDFC0001216

After Deposit, please send challan and order to our address. email to : orders@surabooks.com / Whatsapp : 81242 01000.



For Google Pay : 98409 26027





For PhonePe: 98409 26027

Ph: 8124201000 / 8124301000



#### **DEMAND DRAFT / CHEQUE**

Please send Demand Draft / cheque in favour of 'SURA PUBLICATIONS' payable at Chennai. The Demand Draft / cheque should be sent with your order in School letterhead.

#### **STUDENTS:**

Order via Money Order (M/O) to

#### **SURA PUBLICATIONS**

1620, 'J' Block, 16th Main Road, Anna Nagar, Chennai - 600 040.

Phone: 044-4862 9977, 044-4862 7755. Mobile: 96001 75757 / 81242 01000 / 81243 01000.

 $Email: orders@surabooks.com \quad Website: www.surabooks.com\\$ 

(iv)

# TERM-I CONTENTS

Unit	Name	Page No.
1.	Measurement	1 - 24
2.	Force and Motion	25 - 48
3.	Matter Around Us	49 - 70
4.	Atomic Structure	71 - 86
5.	Reproduction and Modification in Plants	87 - 102
6.	Health and Hygiene	103 - 117
7.	Computer - Visual Communication	118 - 122
	First Term Summative Assessment - 2024-25	123 - 126

# TERM-II

Unit	Name	Page No.				
1.	Heat and Temperature	127 - 144				
2.	Electricity	145 - 162				
3.	Changes Around Us	163 - 182				
4.	Cell Biology	183 - 196				
5.	Basis of Classification	197 - 207				
6.	Digital Painting	208 - 210				
	Second Term Summative Assessment - 2024-25					

# TERM-III

Unit	Name	Page No.				
1.	Light	215 - 238				
2.	Universe and Space	239 - 250				
3.	Polymer Chemistry	251 - 268				
4.	Chemistry in Daily Life	269 - 280				
5.	5. Animals in Daily Life					
6.	6. Visual Communication					
	Third Term Summative Assessment - 2024-25					

(v)

enquiry@surabooks.com

Ph: 8124201000 / 8124301000

# **Syllabus**


MONTH	PHYSICS	PHYSICS CHEMISTRY BIOLOGY		COMPUTER	TOTAL UNITS			
June	1	4	0	0	2			
July	2	0	5	0	2			
I MID TERM TEST (June & July - 4 Units)								
August	0 3 6 7							
September REVISION								
I TERM EXAMINATION (June to September - 7 Units)								

October	1	0	4	0	2				
November	2	3	0	0	2				
II MID TERM TEST (October & November - 6 Units)									
December	0	0	5	6	2				
REVISION									
II TERM EXAMINATION (October & November - 6 Units)									

January	1	0	0	0	1						
February	2	3	0	2							
	III MID TERM TEST (January & February - 3 Units)										
March	0	4	5	0	2						
April	0	0	0 0 7								
III TERMINAL EXAM (January to March - 5 Units)											

(vi)

# 



Ph: 8124201000 / 8124301000

[1]

# CONTENTS


Unit	Name	Page No.	Month
1.	Measurement	3 - 24	June
2.	Force and Motion	25 - 48	July
3.	Matter Around Us	49 - 70	August
4.	Atomic Structure	71 -86	June
5.	Reproduction and Modification in Plants	87 - 102	July
6.	Health and Hygiene	103 - 117	August
7.	Visual Communication	118 - 122	August

Ph: 8124201000 / 8124301000

Unit 1

# **M**EASUREMENT

## **CONCEPT MAP**



# **Definitions**

Physical quantity	:	A quantity that can be measured is called a physical quantity.
Measurement	:	Measurement is a process of comparing an unknown physical
		quantity with a known physical quantity called unit.
Unit	:	A unit is a known measure of a physical quantity with which
		physical quantities of the same kind are measured.

# Sura's - 7th Std - Science

Area	:	Area is the measure of the region inside a closed line.
Volume	:	The amount of space occupied by a three dimensional object
		is known as its volume.
Capacity of a	:	The maximum volume of liquid that a container can hold is
container		called as capacity of the container.
Density	:	Density of a substance is defined as the mass of the substance
		contained in unit volume (1 m³)
<b>Astronomical Unit</b>	:	One astronomical unit is defined as the average distance
		between the earth and the sun.
Light year	:	One light year is defined as the distance traveled by light in
		vacuum during the period of one year.
Fundamental	:	A set of physical quantities which cannot be expressed in terms
quantities		of any other quantities are known as "Fundamental quantities".
		Their corresponding units are called "Fundamental units".
<b>Derived quantities</b>	:	The physical quantities which can be obtained by
		mathematically combining (i.e., multiplying and dividing)
		the fundamental quantities are known as "Derived quantities".
		Their corresponding units are called "Derived units".
Perihelion	:	It is the position of the shortest distance between the earth
		and the sun.
Aphelion	:	It is the position of the largest distance between the earth and
		the sun.

# Formulae to Remember

S. No	Dimension		Formula	Unit
1.	Area of rectangle	=	$l \times b$	$m^2$
2.	Area of square Area of circle		$S \times S$	$m^2$
3.			$\pi \times r^2$	$m^2$
4.	Triangle	=	$\frac{1}{2} \times b \times h$	$m^2$
5.	Volume	=	$1 \times b \times h$	$m^3$
6.	Speed Electric charge Density Mass Volume		distance/time	m/s
7.			electric current × time	Coulomb (C)
8.			Mass/Volume	Kg/m <sup>3</sup>
9.			Density × Volume	kg
10.			mass/density	$m^3$
11.	Volume of cube	=	$a \times a \times a$	$m^3$

# Sura's 🛶 7th Std - Science

12.	Volume of cuboid	=	$1 \times b \times h$	$m^3$
13.	Volume of sphere	=	$\frac{4}{3} \times \pi \times r^3$	$m^3$
14.	Cylinder	=	$\pi \times r^2 \times h$	$m^3$
15.	Light year		Speed of light in vacuum $\times$ time $3 \times 10^8$ m/s $\times 365 \times 24 \times 60 \times 60$ $9.46 \times 10^{15}$ m	
16.	Astronomical unit	=	Average distance between the earth and the sun $1.496 \times 10^{11}$ m	G

# **Evaluation**

п			L		41.	_ 1_	4			
П	[. (	L	no	se	TN	e n	est	an	swe	21

I.	Choose the	he best	answer	•							
1.	Which of the following is a derived quantity?										
	(a) mass	(b)	time	(c)	area	(d)	length	Ans (c) area			
<b>2</b> .	Which of t	he follow	ing is co	rrect?							
	(a) $1L =$			(b)	1L = 10	cc					
	(c) $1L =$	100 cc		(d)	1L = 10	00 cc		Ans (d) $1L = 1000 \text{ cc}$			
<b>3</b> .	SI unit of c	lensity is									
	(a) $kg/m^2$	(b)	kg/m³	(c)	kg/m	(d)	$g/m^3$	Ans (b) $kg/m^3$			
4.	Two sphere	s have eq	ual mass	and vo	olume in t	the ratio	2:1. The	e ratio of their density is			
	(a) 1:2	(b)	2:1	(c)	4:1	(d)	1:4	<b>Ans</b> (a) 1:2			
<b>5</b> .	Light year	is the un	it of					8			
	(a) distan	ice		(b)	time			•			
	(c) densit	ty		(d)	Both lea	ngth an	d time	Ans (a) distance			
II.	Fill in the	e blanks	<b>6:</b>								
1.	Volume of i	rregularl	y shaped	object	ts are me	asured	using the	e law of			
		υ.	. 1	3			υ	Ans Archimedes			
2.	One cubic r	netre is e	qual to		cubic	centime	etre.	Ans 10,00,000 or 10 <sup>6</sup>			
3.	Density of	mercury i	s					Ans 13,600 kg/m <sup>3</sup>			
4.	One astrono			1 to _	•			Ans 1.496×10 <sup>11</sup> m			
<b>5</b> .	The area of							Ans graph sheet			

## III. State true or false. If false, correct the statement.

1. The region covered by the boundary of a plane figure is called its volume.

**Ans.** False. Correct statement: The region covered by the boundary of a plane figure is called its **area**.

2. Volume of liquids can be found using measuring containers.

Ans. True

3. Water is denser than kerosene.

Ans. True

4. A ball of iron floats in mercury.

Ans. True

5. A substance which contains less number of molecules per unit volume is said to be denser.

**Ans.** False. Correct statement: A substance which contains **more** number of molecules per unit volume is said to be denser.

## IV. Match the following items.

a. 1. Area light year (a) 2. Distance (b)  $m^3$ 3. Density (c)  $m^2$ Volume 4. (d) kg  $kg/m^3$ 5. Mass (e) <

 $g / cm^3$ b. 1. Area (a) 2. Length (b) measuring jar amount of a substance Density 3. (c) 4. Volume (d) rope 5. Mass plane figures (e)

## V. Arrange the following in correct sequence:

1. 1 L, 100 cc, 10 L, 10 cc

**Ans.** 10 cc, 100 cc, 1 L, 10 L

2. Copper, Aluminium, Gold, Iron

Ans. Aluminium, Iron, Copper, Gold



# VI. Use the analogy to fill in the blank:

1. Area: m<sup>2</sup>:: Volume: Ans m<sup>3</sup>

2. Liquid : Litre :: Solid :

Ans cm<sup>3</sup>

Water: Kerosene:: : Aluminium 3.

Ans Iron

# VII. Consider the following statements and choose the correct option.

- Both assertion and reason are true and reason is the correct explanation of (a) assertion.
- Both assertion and reason are true, but reason is not the correct explanation of (b) assertion.
- Assertion is true but reason is false (c)
- Assertion is false but reason is true.
- **Assertion** (A): Volume of a stone is found using a measuring cylinder. 1.
  - **Reason (R)** : Stone is an irregularly shaped object.
  - Ans (a) Both assertion and reason are true and reason is the correct explanation of assertion
- 2. **Assertion (A):** Wood floats in water.
  - **Reason** (R) : Water is a transparent liquid.
  - Ans (b) Both assertion and reason are true, but reason is not the correct explanation of assertion
  - Correct explanation: Water is denser than iron.
- **3**. **Assertion** (A): Iron ball sinks in water.
  - **Reason (R)**: Density of iron is more than that of water.
  - Ans (c) Assertion is true but reason is false
  - **Correct explanation :** Density of iron is more than that of water.

## VIII. Answer very briefly.

- Name some of the derived quantities.
- Ans. Area, volume, density.
- 2. Give the value of one light year.
- Ans. One light year =  $9.46 \times 10^{15}$ m
- Write down the formula used to find the volume of a cylinder. 3.
- Ans. Volume of a cylinder =  $\pi r^2 h$ ;  $\pi = \frac{22}{7}$ , r = radius, h = height
- Give the formula to find the density of objects.

**Ans.** Density (D) = 
$$\frac{\text{mass}(m)}{\text{volume}(v)}$$

$$D = \frac{(m)}{(v)}$$



## 5. Name the liquid in which iron ball sinks.

**Ans.** Iron ball sinks in water. The density of an iron ball is more than that of water so it sinks in water.

## **6.** Name the units used to measure the distance between celestial objects.



**Ans.** Astronomical unit and light year are the units used to measure the distance between celestial objects.

## **7.** What is the density of gold?

Ans. Density of gold is 19,300 kg/m<sup>3</sup>.

## IX. Answer briefly.

#### 1. What are derived quantities?

**Ans.** The physical quantities which can be obtained by multiplying, dividing or by mathematically combining the fundamental quantities are known as derived quantities.

(or)

The physical quantities which are expressed is terms of fundamental quantities are called derived quantities.

#### 2. Distinguish between the volume of liquid and capacity of a container.

Ans.	S.No	Volume of liquid	Capacity of a container		
	1.	Volume is the amount of space taken up	Capacity is the measure of an		
		by a liquid	objects ability to hold a substance		
			like solid, liquid or gas		
	2.	It is measured in cubic units.	It is measured in litres, gallons,		
			pounds, etc.		
	3.	It is calculated by multiplying the length,	It's measurement is cc or ml.		
		width and height of an object.			

## **3.** Define the density of objects.

Ans. Density of a substance is defined as the mass of the substance contained in unit volume.

Density (D) = 
$$\frac{\text{mass}(m)}{\text{volume}(v)}$$

# 4. What is one light year?

Ans. One light year is the distance travelled by light in vacuum during the period of one year.

1 Light year = 
$$9.46 \times 10^{15}$$
m.

#### **5.** Define - Astronomical unit?



**Ans.** One astronomical unit is defined as the average distance between the earth and the sun.

$$1AU = 149.6 \text{ million km} = 149.6 \times 10^{6 \text{ km}} = 1.496 \times 10^{11} \text{ m}.$$

#### X. Answer in detail.

# 1. Describe the graphical method to find the area of an irregularly shaped plane figure.


Ans. To find the area of an irregularly shaped plane figure, we have to use graph paper.

- (i) Place a piece of paper with an irregular shape on a graph paper and draw its outline.
- (ii) To find the area enclosed by the outline, count the number of squares inside it (M).
- (iii) You will find that some squares lie partially inside the outline.
- (iv) Count a square only if half (p) or more of it (N) lies inside the outline.
- (v) Finally count the number of squares, that are less than half. Let it be Q. For the shape in figure we have the following:

$$M = 50$$
  $N = 7$   
 $P = 4$   $O = 4$ 

Now, the approximate area of the leaf can be calculated using the following formula.

Area of the leaf = 
$$M + \left(\frac{3}{4}\right)N + \left(\frac{1}{2}\right)P + \left(\frac{1}{4}\right)Q$$
 sq. cm  
=  $50 + \frac{3}{4} \times 7 + \frac{1}{\cancel{2}} \times \cancel{\cancel{4}} + \frac{1}{\cancel{\cancel{4}}} \times \cancel{\cancel{4}}$   
=  $50 + \frac{21}{4} + 2 + 1$ 




Area of an irregularly shaped plane figure

# = 53 + 5.25 = 58.25 sq.mm = 0.5825 sq.cm

# 2. How will you determine the density of a stone using a measuring jar?

Ans. Determination of density of a stone using a measuring cylinder.

- (i) In order to determine the density of a solid, we must know the mass and volume of the stone.
- (ii) The mass of the stone is determined by a physical balance very accurately. Let it be 'm' grams.
- (iii) In order to find the volume, take a measuring cylinder and pour in it some water.
- (iv) Record the volume of water from the graduations marked on measuring cylinder. Let it be 40 cm<sup>3</sup>.
- (v) Now tie the given stone to a fine thread and lower it gently in the measuring cylinder, such that it is completely immersed in water.



(vi) Record the new level of water. Let it be 60 cm<sup>3</sup>.

∴ Volume of the solid = 
$$(60-40) \text{ cm}^3$$
  
=  $20 \text{ cm}^3 = \text{V cm}^3 \text{ (assume)}$ 

Knowing the mass and the volume of the stone, the density can be calculate by the formula:

Density = 
$$\frac{\text{mass}}{\text{volume}} = \frac{\text{m}}{\text{v}} \text{g/cm}^3$$

## XI. Questions based on Higher Order Thinking Skills:

1. There are three spheres A, B, C as shown below:

Sphere A and B are made of same material. Sphere C is made of a different material. Spheres A and C have equal radii. The radius of sphere B is half that of A. Density of A is double that of C.







Now answer the following questions:

- i. Find the ratio of masses of spheres A and B.
- ii. Find the ratio of volumes of spheres A and B.
- iii. Find the ratio of masses of spheres A and C.
- Ans. i. Ratio of masses of spheres A and B

 $M_A: M_B$ 

 $D \times V_A : D \times V_B$ 

(Radius of sphere B is half that of A)

Let the mass of sphere  $A = M_A$ 

Let the mass of sphere  $B = M_B$ 

 $Mass = Density \times Volume$ 

$$M_A = D_A \times V_A$$

 $M_{B} = D_{B} \times V_{B}$  (Density is same)

Volume of Sphere A =  $\frac{4}{3}\pi r^3$ 

Volume of Sphere B =  $\frac{4}{3}\pi \times \left(\frac{r_A}{2}\right)^3$ 

$$\cancel{D} \times \frac{4}{\cancel{3}} \cancel{\pi} \cancel{r}^3 : \cancel{D} \times \frac{4}{\cancel{3}} \cancel{\pi} \left(\frac{\cancel{r}}{2}\right)^3 = 1 : \frac{1}{8} = 8:1$$

ii. Ratio of volumes of spheres A and B

 $V_A:V_B$ 

8:1

(As mass is directly proportional to volume)

iii. Ratio of masses of spheres A and C.

 $M_A: M_C$ 

 $2\cancel{p} \times \cancel{y} : \cancel{p} \times \cancel{y}$ 

[::Density of A is double that of C]

2:1

# XII. Numerical problems:

1. A circular disc has a radius 10 cm. Find the area of the disc in  $m^2$ . (Use  $\pi = 3.14$ )

Ans. Given

radius = 
$$10 \text{ cm} = 0.1 \text{m}$$

$$\pi = 3.14$$

Area of a circular disc A = ?

(in m<sup>2</sup>)

**Formula :** Area of a circle  $A = \pi r^2$ 

le A =  $\pi r^2$ = 3.14 × 0.1 × 0.1

**Solution:** 

$$A = 0.0314m^2$$

2. The dimension of a school playground is 800 m  $\times$  500 m. Find the area of the ground.

Ans. Given: The dimension of a school

Playground = 
$$l \times b = 800 \text{ m} \times 500 \text{ m}$$

**Formula :** Area of the ground  $A = l \times b$ 

$$= 800 \times 500$$
  
= 4.00.000

**Solution:** 

$$A = 4.00.000 \text{ m}^2$$

**3.** Two spheres of same size are made from copper and iron respectively. Find the ratio between their masses. (Density of copper is 8,900 kg/m³ and iron 7,800 kg/m³).

Ans. Given:

Density Copper 
$$D_C = 8900 \text{ kg/m}^3$$

Density of Iron 
$$D_1 = 7800 \text{ kg/m}^3$$

Volume of Copper sphere = Volume of Iron sphere

**To find :**Ratio of Masses of Copper (M<sub>c</sub>) and Iron (M<sub>1</sub>)

**Solution:** 

$$M_C = D_C \times V, M_I = D_I \times V$$

$$M_C = 8900 \text{ V}, \quad M_I = 7,800 \text{ V}$$

$$M_{c} = M_{I}$$

= 1.14:1

4. A liquid having a mass of 250 g fills a space of 1000 cc. Find the density of the liquid.

Ans. Given:

Mass of a liquid 
$$M = 250g$$

Volume 
$$V = 1000cc$$

Density of the liquid D = ?

Formula:

Density D = 
$$\frac{\text{mass}(m)}{\text{volume}(v)} = \frac{25\%}{100\%} = 0.25 \text{ g/cc}$$

**Solution:** Density of the liquid = 0.25g/cc

A sphere of radius 1cm is made from silver. If the mass of the sphere is 33g, find **5**. the density of silver (Take  $\pi = 3.14$ )

radius of a sphere r = 1cm Ans. Given:

Volume of the sphere V = ?

Mass of the sphere M = 33g

Density of silver D = ?

Density D =  $\frac{\text{mass of the sphere(M)}}{\text{volume of the sphere(V)}} = \frac{M}{V}$ Formula:

Mass of the sphere (M) = 33g

Volume of the sphere (V) =  $\frac{4}{3}\pi r^3 = \frac{4}{3} \times 3.14 \times 1 \times 1 = 4.187$  (cm³) D =  $\frac{33}{4.187} = 7.889$  g/cc

...

**Solution:** Density of silver sphere = 7.889 g/cc.

## XIII. Cross word puzzle:

#### Clues - Across

- 1. SI unit of temperature
- 2.. A derived quantity
- 3. Mass per unit volume
- 4. Maximum volume of liquid a container can hold

#### Clues - Down

- A derived quantity
- b. SI unit of volume
- A liquid denser than iron c.
- A unit of length used to measure very long distances d.

Ans.

		K <sub>(1)</sub>	Е	L	$V_{(a)}$	I	N					
					Е							
		$L_{(d)}$			L		C <sub>(b)</sub>					$M_{(c)}$
		I		V <sub>(2)</sub>	О	L	U	M	Е			Е
		G			С		В					R
		Н			I		I					С
		T			T		С					U
		Y			Y		M					R
		Е				D <sub>(3)</sub>	Е	N	S	I	T	Y
C	$C_{(4)}$	A	P	A	С	Ι	T	Y				
		R					R					
							Е					

#### Ans: Across

- 1. KELVIN
- 2. VOLUME
- 3. DENSITY
- 4. CAPACITY

#### Down

- a. VELOCITY
- b. CUBIC METRE
- c. MERCURY
- d. LIGHT YEAR

# **Intext Activites**

#### → ACTIVITY - 1

Take a leaf from any one of the trees. Place it on a graph sheet and draw the outline of the leaf with a pencil. Remove the leaf. You can see the outline of the leaf on the graph sheet.

- i. Now, count the number of whole squares enclosed within the outline of the leaf. Take it as M.
- ii. Then, count the number of squares that are more than half. Take it as N.
- iii. Next, count the number of squares which are half of a whole square. Note it to be P.
- iv. Finally, count the number of squares that are less than half. Let it be Q.

Now, the approximate area of the leaf can be calculated using the following formula.

Approximate area of the leaf = 
$$M + \left(\frac{3}{4}\right)N + \left(\frac{1}{2}\right)P + \left(\frac{1}{4}\right)Q$$
 square cm.

Area of the leaf = cm<sup>2</sup>.

**Ans.** 
$$M = 50 N = 7$$

$$P = 4 Q = 4$$

Approximate area o the leaf

$$= M + \left(\frac{3}{4}\right)N + \left(\frac{1}{2}\right)P + \left(\frac{1}{4}\right)Q$$

$$= 50 + \left(\frac{3}{4}\right) \times 7 + \left(\frac{1}{2} \times \cancel{A}\right) + \frac{1}{\cancel{A}} \times \cancel{A}$$

$$= 50 + \frac{21}{4} + 2 + 1 = 50 + 5.25 + 2 + 1$$


$$= \boxed{58.25 \text{ sq. mm}} = 0.5825 \text{ sq.cm}$$


#### → ACTIVITY - 2

Draw the following regularly shaped figures on a graph sheet and find their area by the graphical method. Also, find their area using appropriate formula. Compare the results obtained in two methods by tabulating them.


- (a) A rectangle whose length is 12 cm and breadth is 4 cm.
- (b) A square whose side is 6 cm.
- (c) A circle whose radius is 7 cm.
- (d) A triangle whose base is 6 cm and height is 8 cm.


Ans. (a)





(c)






S. No	Shape	Area using formula	Area using graphical method
1.	Rectangle	$A = l \times b = 12 \times 4 = 48 \text{sq.cm}$	48 sq. cm
2.	Square	$A = s \times s = 6 \times 6 = 36 \text{ sq. cm}$	36 sq. cm
3.	Circle	$A = \pi r^2 = \frac{22}{\cancel{1}} \times \cancel{1} \times 7 = 154 \text{ sq.cm}$	154 sq.cm
4.	Triangle	$\frac{1}{2} \times b \times h = \frac{1}{2} \times \cancel{6}^3 \times 8 = 24 \text{ sq. cm}$	24 sq. cm

#### → ACTIVITY - 3

Take a measuring cylinder and pour some water into it (Do not fill the cylinder completely). Note down the volume of water from the readings of the measuring cylinder. Take it as V<sub>1</sub>. Now take a small stone and tie it with a thread. Immerse the stone inside the water by holding the thread. This has to be done such that the stone does not touch the walls of the measuring cylinder. Now, the level of water will raise. Note down the volume of water and take it as V<sub>2</sub>. The volume of the stone

is equal to the raise in the volume of water.



Volume of stone =  $V_1 - V_1 =$ 

 $V_1 = 30 \text{ cc}, V_2 = 40 \text{ cc}; \text{ Volume of stone} = V_2 - V_1 = 40 \text{ cc} - 30 \text{ cc} = 10 \text{ cc}$ Ans.

#### → ACTIVITY - 4

- (a) Take an iron block and a wooden block of same mass (say 1kg each). Measure their volume. Which one has more volume and occupies more volume?
- (b) Take an iron block and a wooden block of same size. Weigh them and measure their mass. Which one of them has more mass?

Ans. (a) Wooden block has more volume and occupies more volume. (As the molecules of wood are loosely packed)

(b) Iron block has more mass. (In iron block, molecules are closely packed).

# Additional Questions

I.	Cho	ose the	correc	ct answer.				
1.	The	unit of vo	lume is					
	(a)	$m^3$	(b) 1	$m^2$ (c)	$cm^3$	(d)	km	Ans (a) $m^3$
<b>2</b> .	Phys	sical quan	tities ar	re classified i	nto	ty	pes	
	(a)	three		(b)	two			
	(c)	four		(d)	none of	f the abo	ove	Ans (b) two
3.	The	SI unit of	speed i	is				
	(a)	$m/s^2$	(b) 1	m/s (c)	km/h	(d)	$m^2/s$	Ans (b) m/s
4.	1 lit	re =	cc					
	(a)	100	(b)	1000 (c)	10	(d)	0.1	Ans (b) 1000
<b>5</b> .	The	formula t	o calcul	late area of a	rectan	gle is	•	
	(a)			(b)		_		
	(c)	$\pi \times \text{radiu}$	s × radi	us (d)	none of	f the abo	ove Ans (	a) length × breadth
<b>6.</b>		_ is a der	ived qu	antity.				
	(a)	length	(b) 1	mass (c)	time	(d)	area	Ans (d) area

# Sura's - 7th Std - Science

	1.	The amount of space occupied by a three dimensional object is known as its								
		(a) density (b) volume								
		(c) Area (d) mass (b) volume								
	<b>8.</b>	The maximum volume of liquid that a continer can hold is								
		(a) area (b) volume								
		(c) capacity (d) density Ans (c) capacity								
	9.	The shortest distance between the earth and the sun is called as position.								
		(a) Light year (b) normal								
		(c) perihelion (d) aphelion (Ans (c) Perihelion								
	<b>10</b> .	The largest distance between the earth and the sun is called as position.								
		(a) normal (b) perihelion								
		(c) aphelion (d) none of the above (c) aphelion								
•	11.	is defined as the average distance between the earth and the sun.								
		(a) Astronomical unit (b) Light year								
		(c) Kilometre (d) none (a) Astronomical unit								
	II.	Fill in the Blanks.								
	1.	The materials with higher density are called . Ans denser								
	2.	The materials with lower density are called  Ans rarer								
	3.	The area of irregularly shaped figures can be calculated with the help of a								
		Ans graph sheet								
	4.	The SI unit of volume is Ans cubic metre or m <sup>3</sup>								
	<b>5</b> .	The SI unit of density is Ans kg/m³]								
	<b>6</b> .	The CGS unit of density is Ans g/cm <sup>3</sup>								
	<b>7</b> .	If the density of a solid is lower than that of a liquid it in that liquid								
		Ans floats								
	<b>8</b> .	If the density of a solid is higher than that of a liquid, it in that liquid.								
		Ans sinks								
	9.	The total number of seconds in one year = Ans $3.15 \ 3 \times 10^7$ second								
	10.	The average distance between the earth and the sun is about million kilometre.								
		Ans 149.6								
	11.	The corresponding units of fundamental quantities are called								
		Ans fundamental units								
	III.	True or False - if false give the correct statement.								
	1.	One square metre is the area enclosed inside a square of side 2 metre.								
		False. Correct Statement: One square metre is the area enclosed inside a square of								
	1 XII J.	side 1 metre.								

Ph: 8124201000 / 8124301000

2. Area is a derived quantity as we obtain by multiplying twice of the fundamental physical quantity length.

Ans. True.

3. Density of water is 100 kg/m<sup>3</sup>.

Ans. False. Correct statement: Density of water is 1000 kg/m<sup>3</sup>.

4. Density is defined as the mass of the substance contained in unit volume.

Ans. True.

5. The lightness or heaviness of a body is due to volume

Ans. False. Correct statement: The lightness or heaviness of a body is due to density.

6. Neptune is 30 AU away from sun.

Ans. True.

7. The nearest star to our solar system is proxima centauri.

Ans. True.

8. The volume of a figure is the region covered by the boundary of the figure.

**Ans.** False. Correct statement: The **area** of a figure is the region covered by the boundary of the figure.

9. 1 Light year =  $9.46 \times 10^5$  m.

Ans. True.

10. One light year is defined as the distance travelled by light in vacuum during the period of one year.

Ans. True.

## IV. Match the following:

1.	1.	Length	(a)	ampere (A)
	2.	time	(b)	kelvin (K)
	3.	Mass	(c)	metre (M)
	4.	Temperature	(d)	second (S)
	5.	Electric current	(e)	kilogram (K)

Plane figureArea1. Rectangle(a) 
$$\pi \times r^2$$
2. Square(b)  $\frac{1}{2} \times b \times h$ 3. Circle(c)  $1 \times b$ 4. Triangle(d)  $s \times s$ 

# Sura's 🛶 7th Std - Science

**3.** 

1.	Amount of	(a)	Litre
	substance		
2.	Luminous	(b)	Metre
	intensity		
3.	Vegetables	(c)	Mole
4.	Cloth	(d)	Candela
5.	Milk	(e)	kg

Ans (1-c. 2-d, 3-e, 4-b, 5-a)

V. Assertion and Reason.

#### Mark the correct choice as

- (a) Both A and R are true but R is not the correct reason.
- (b) Both A and R are true and R is the correct reason.
- (c) A is true but R is false.
- (d) A is false but R is true.
- 1. Assertion (A): The distance between two celestial bodies is measured by the unit of light year.
  - **Reason (R)** : The distance travelled by the light in one year in vacuum is called one light year.

Ans (a) Both A and R are true but R is not the correct reason

2. Assertion (A): It is easier to swim in sea water than in river water.

**Reason (R)** : Density of sea water is more than that of river water

- (a) Both A and R are true but R is not the correct reason.
- (b) Both A and R are true and R is the correct reason.
- (c) A is true but R is false.
- (d) A is false but R is true.

Ans (b) Both A and R are true and R is the correct reason.

- 3. Assertion (A): Volume is a derived quantity.
  - Reason (R): The amount of space occupied by a three dimensional object is known as its volume.

Ans (a) Both A and R are true but R is not the correct reason.

# VI. Very short Answers:

**1.** Write the SI unit of speed.

Ans. m/s

2. What is the fundamental unit of amount of substance?

Ans. mole (mol)

- 3. What are the types of physical quantity?
- Ans. (i) Fundamental quantity (ii) Derived quantity.

# Sura's 🛶 7th Std - Science

- 4. What is the SI unit of electric charge?
- Ans. Coulomb (C)
- **5.** Mention the formula to calculate area of a circle?
- Ans.  $\pi \times r^2 = \pi r^2$ .
- 6. How do you find the area of irregularly shaped figures?
- Ans. Graphical method.
- 7. How will you determine the volume of a liquid?
- Ans. By using measuring cylinder.
- 8. What are the other units used to measure the volume of liquids?
- Ans. Gallon, ounce and quart.
- 9. Which one of the following has more volume. Iron block or a wooden block of same mass.
- Ans. Wooden block.
- 10. Which one of the following has more density. Water or cooking oil.
- Ans. Water
- 11. What is the special unit used by astronomers for measuring the distance in deep space?
- Ans. Light year.
- 12. What is the distance between the earth and proxima centauri star?
- Ans. 4.22 light years.
- 13. How many fundamental quantities are there is SI units?
- Ans. Seven.

#### VII. Short Answer.

- 1. What is fundamental quantity? Give examples.
- **Ans.** A set of physical quantities which cannot be expressed in terms of any other quantities are known as fundamental quantities. Ex: Length, mass, time.
- 2. Define mass Mention its unit.
- Ans. Mass is the amount of matter contained in a body. It's unit is kilogram (kg).
- 3. What are the multiples and sub multiples of mass?
- Ans. The multiples of mass are quintal and metric tonne. The sub-multiples of mass are gram and milligrams.
- 4. What is physical quantity? give example.
- **Ans.** A quantity that can be measured is called a physical quantity. For example, the length of a piece of cloth, the time at which school begins.
- 5. What do you mean by 'unit'?
- **Ans.** The known measure of a physical quantity is called the unit of measurement.

#### 6. What is measurement?

**Ans.** Comparison of an unknown quantity with a standard quantity is called measurement.

#### 7. What is meant by area?

**Ans.** Area is the measure of the region inside a closed line.

#### **8.** What is capacity of a container?

**Ans.** The volume of liquid which a container can hold is called its capacity.

# 9. What is the relation between density, volume and mass?

Ans. Density =  $\frac{\text{mass}}{\text{volume}}$ 

#### **10.** Define astronomical unit.

**Ans.** One astronomical unit is defined as the average distance between the earth and the sun.  $1AU = 1.496 \times 10^{11}$  m or  $149.6 \times 10^{6}$  m

## 11. Define one light year.

Ans. One light year is defined as the distance traveled by light in vacuum during the period of one year. 1 light year =  $9.46 \times 10^{15}$  m

## VIII. Long Answer.

# 1. How will you find the volume of an irregularly shaped object (stone) by using measuring cylinder?

- Ans. (i) Take a measuring cylinder and pour some water into it.
  - (ii) Note down the volume of water from the readings of the measuring cylinder.
  - (iii) Take it as  $V_1$
  - (iv) Now take Q small stone and tie it with a thread.
  - (v) Immerse the stone inside the water by holding the thread.



- (vi) This has to be done such that the stone does not touch the walls of the measuring cylinder.
- (vii) Now the level of water has raised.
- (viii) Note down the volume of water and take it to be V<sub>2</sub>

The volume of the stone is equal to the raise in the volume of water.

$$V_1 = 30cc$$
,  $V_2 = 40cc$   
Volume of stone =  $V_2 - V_1 = 40 - 30 = 10cc$ 

## 2. How will you find the area of irregular objects?

- **Ans.** (i) Place the irregular object on a graph sheet and draw its outline. Then remove the object.
  - (ii) To find the area enclosed by the outline count the number of small squares.
  - (iii) If more than half-a-square is inside the boundary, count it as one otherwise neglect it.

# Sura's 🛶 7th Std - Science

- (iv) The area of each small square is 1sq. mm.
- (v) Area of the irregular object = No. of squares  $\times$  1 sq.mm.

## IX. Problems for practice:

1. A piece of iron weighs 230 g and has a volume of 20cm<sup>3</sup>. Find the density of iron.

**Solution:** Mass of iron (m) = 230g

Volume of iron  $(v) = 20 \text{ cm}^3$ 

 $\therefore \qquad \text{Density of iron D} = \frac{m}{v} \times \frac{23 \,\text{M}}{2 \,\text{M}} = \boxed{11.5 \,\text{g/cm}^3}$ 

2. Find the mass of silver of volume 50 cm<sup>3</sup> and density10.5 g / cm<sup>3</sup>.

**Solution:** Mass of silver (M) = ?

Volume of silver  $(V) = 50 \text{ cm}^3$ 

Density of silver  $D = 10.5 \text{ g/cm}^3$ 

Density (D) =  $\frac{\text{mass}(m)}{\text{volume}(v)}$ 

 $mass(M) = Density \times Volume$ 

 $= 10.5 \times 50 = \boxed{525g}$ 

3. The volume of water is a measuring cylinder is 50 ml. When a stone is tied to a string is immersed in the water, the water level rises to 83 ml. Find the volume of the stone.

**Solution:** Volume of water  $V_1 = 50 \text{ ml}$ 

Volume of water  $V_2 = 83 \text{ ml}$ 

Volume of the stone (V) =  $V_2 - V_1$ 

= 83 - 50

= 33 ml

 $1m1 = 1cm^3$ 

 $33m1 = 33 \times 1cm^3$ 

Volume of the stone =  $33 \text{cm}^3$ 

- 4. Find the area of the following regular shaped figures :
  - a. A circle whose diameter is 70m.
  - b. A triangle whose height is 11m and base is 7m
  - c. A square of side 20m

Solution: (a) area of a circle =  $\pi r^2$   $r = \frac{d}{2} = \frac{70}{2}$ =  $\frac{22}{\cancel{7}} \times \cancel{35} \times 35$   $\boxed{r = 35m}$ =  $\boxed{3850m^2}$  **Solution:** (b) area of a triangle  $A = \frac{1}{2} \times b \times h$ 

$$=\frac{1}{2} \times 7 \times 11 = \frac{77}{2} = \boxed{38.5 \text{ m}^2}$$

**Solution:** (c) area of a square  $A = side \times side$ 

$$= 20 \times 20$$

$$= 400 \text{m}^2$$

# X. Creative questions: HOTS

- 1. Why does an iron needle sink in water, but not an iron ship?
- **Ans.** Iron needle is compact and its density is 7.6 g/cm<sup>3</sup>. Thus, as the density of iron needle is more than 1 g/cm<sup>3</sup> therefore, it sinks in water.

However, the iron ship is constructed in such a way that it is mostly hollow from within, thus, the volume of iron ship becomes very large as compared to its mass and hence its density is less than 1g/cm<sup>3</sup>. As the density of iron ship is less than 1g/cm<sup>3</sup>, therefore it floats in water.

- 2. Wooden block occupies more volume than the iron ball of same mass. Give reason.
- **Ans.** The matter (atoms and molecules) is more densely packed in iron. Whereas is wooden block the matter is loosely packed.

In the language of science, we will say that the density of iron is more than the density of wooden block.



# **UNIT TEST**

Time: 60 min. Marks: 25

I. Choose the correct answer.  $(3\times1=3)$ 

- 1. The area of a spherical object is
  - (a)  $l \times b \times h$
- (b)  $\pi r^2 h$
- $\frac{}{\text{(c)}} \frac{4}{3} \times \pi \times r^2 \qquad \text{(d)} \quad a^3$

- What is the SI unit of density? 2.
  - (a)  $a^2$
- (b)  $mm^3$
- (c)  $kg/m^3$
- (d)  $kg/m^2$

- 3. The speed of light in vacuum is
  - $10 \times 10^6 \, \text{m/s}$ (a)

- (b)  $3 \times 10^8 \text{ m/s}$
- $1.496 \times 10^{11} \text{ m/s}$ (c)
- $(d)2 \times 10^8 \text{ m/s}$
- II. Fill in the blanks.

 $(3\times 1=3)$ 

- 4. The unit of amount of substance is .
- **5**. There are fundamental physical quantities in SI units.
- The materials with higher density are called 6.
- Match the following. III.

 $(4 \times 1 = 4)$ 

- **7**. Cylinder litre (a) 8. Mass (b)  $1000 \text{ kg/m}^3$
- $\pi r^2 h$ 9. Volume of liquids (c) **10.** water (d) kg
- IV. Answer in one word.

 $(4 \times 1 = 4)$ 

- **11.** What is the symbol of unit of temperature?
- **12.** Name the method which is used to find the area of irregularly shaped figures.
- **13.** What is the formula to calculate volume of a cube?
- **14.** Name the unit which is used to measure distance between the two stars.
- V. Answer the following in one or two sentences.

 $(3 \times 2 = 6)$ 

- **15.** Define derived quantity.
- **16.** Heavy objects sink in water and lighter objects float in water, give reason.
- 17. What do you mean by the term 'capacity of the container?
- **18.** What is light year?
- 19. Calculate the volume of wood of mass 5000 kg, when density of wood is 0.5g cm<sup>-3</sup>
- VI. Answer the following in detail.

 $(5 \times 1 = 5)$ 

How will you find the area of irregular objects? **20**.

Describe the graphical method to find the area of an irregularly shaped plane **(b)** figure.

# **Answer Key**

- I. 1. (c)  $\frac{4}{3} \times \pi \times r^2$
- 2. (c)  $kg/m^3$
- 3. (b)  $3 \times 10^8$  m/s

II. 4. mole

5. seven

6. denser

- III. 7 c, 8 d, 9 a, 10 b.
- IV. 11. kelvin

- 12. Graphical method
- 13.  $side \times side \times side$
- 14. Astronomical unit
- V. 15. All other physical quantities which can be obtained by multiplying, dividing or by mathematically combining the fundamental quantities are known as "derived quantities".
  - 16. The substances with the density more than (heavier objects) 1g/cm³ sink in water.

Conversely, the substances having density less than 1g/cm³, float in water (lighter objects)

- 17. The maximum volume of liquid that a container can hold is known as the "capacity of the container"
- 18. One light year is defined as the distance travelled by light in vacuum during the period of one year. 1 Light year =  $9.46 \times 10^{15}$  m.
- 19. Mass of wood M = 5000 kg

Density of wood D = 0.59gcm<sup>-3</sup>

Volume of wood V = ?

Formula : Volume (V) =  $\frac{\text{Mass}(M)}{\text{Density}(D)}$ 

$$= \frac{5000}{0.5} = \frac{5000 \times 10}{0.5 \times 10}$$

 $V = 10,000 \text{m}^3$ 

or  $= 10 \times 10^3 \text{ m}^3$ 

VI. 20. a) Refer Sura's Guide Q. No. VIII - 2.


(or)

b) Refer Sura's Guide Q. No. X - 1



Unit 2

# FORCE AND MOTION



# **Definitions**

Distance	:	The total length of a path taken by an object to reach one place from the other is called distance.
Displacement	:	The shortest distance from the initial to the final position of an object.
Nautical mile	:	Nautical mile is the unit for measuring the distance is the field of aviation and sea transportation.
One knot	:	The speed taken to travel one nautical mile in one hour.
Speed	:	It is the rate of change of distance.

25

# Sura's → 7th Std - Science

Uniform speed	:	If a body in motion covers equal distances in equal intervals of
		time, then the body is said to be in uniform speed.
Non-uniform speed	:	If a body covers unequal distances in equal intervals of time,
1		the body is said to be in non-uniform speed.
Velocity	:	It is the rate of change in displacement.
Uniform velocity	:	If a body covers equal displacement in the same direction in
·		equal intervals of time.
Non-uniform	:	If either speed or direction changes, the velocity is non uniform.
velocity	ľ	is not an enterior enames, and verestry is not an enterior
Average velocity	:	The total displacement of a body divided by the total time taken
, and the second		to cover that displacement.
Acceleration	:	It is the rate of change in velocity.
Positive acceleration	:	If the velocity of an object increases with respect to time, then
		the object is said to be in positive acceleration.
Negative	:	If the velocity of an object decreases with respect to time, then
acceleration or	•	the object is said to be in negative acceleration or deceleration
deceleration or		or retardation.
retardation		of retardation.
		A 1' ( 1 'C 1 1 1 1 1
Uniform	:	An object undergoes uniform acceleration when the change
acceleration		(increase or decrease) in its velocity for every unit of five is
		the same.
Non-uniform	:	An object undergoes non uniform acceleration if the change in
acceleration		its velocity for every unit of time is not the same.
Centre of gravity	:	The centre of gravity of an object is the point through which
g ,		the entire weight of the object appears to act.
Stability	:	Stability is a measure of the body's ability to maintain its
		original position.

# Formulae to Remember


				Unit
1	Speed	=	Distance time	m/s
2	  Average speed	=	Total distance travelled time taken	m/s
3	Velocity	=	Displacement time	m/s

# 🗗 Sura's 🛶 7th Std - Science


4.	Average velocity	=	Total displacement Time tanken	
5.	Acceleration	=	$\frac{\text{change in velocity}}{\text{time}} = \frac{\text{Final velocity(v)-Initial velocity(u)}}{\text{time(t)}}$ $a = \frac{v - u}{t}$ $1 \text{ km/h} = \frac{5}{18} \text{ m/s}; 1 \text{ m/s} = \frac{18}{5} \text{ km/h}$	m/s <sup>2</sup>




- I. Choose the best answer.
- 1. A particle is moving in a circular path of radius r. The displacement after half a circle would be
  - (a) Zero
- (b) R
- (c) 2r
- (d) r/2
- Ans (c) 2r
- 2. Which of the following figures represent uniform motion of a moving object correctly?











**Hint:** An object is said to be in uniform motion, when it covers equal distances in equal intervals of time.

- 3. Suppose a boy is enjoying a ride on a merry go round which is moving with a constant speed of 10m/s. It implies that the boy is.
  - (a) at rest

- (b) moving with no acceleration
- (c) in accelerated motion
- (d) moving with uniform velocity

Ans (c) in accelerated motion

- 4. From the given v-t graph it can be inferred that an object is
  - (a) in uniform motion
  - (b) at rest
  - (c) in non uniform motion
  - (d) moving with uniform acceleration



Ans (d) moving with uniform acceleration



- 5. How can we increase the stability of an object?
  - (a) Lowering the centre of gravity
  - (b) Raising the centre of gravity
  - (c) Increasing the height of the object
  - (d) Shortening the base of the object Ans (a) Lowering the centre of gravity

#### II. Fill in the blanks:

- 1. The shortest distance between two places is \_\_\_\_\_. Ans displacement
- 2. The rate of change of velocity is \_\_\_\_\_. Ans acceleration
- 3. If the velocity of an object increases with respect to time, then the object is said to be in \_\_\_\_\_ acceleration. Ans positive
- 4. The slope of the speed–time graph gives \_\_\_\_\_. Ans acceleration
- 5. In \_\_\_\_\_ equilibrium, the centre of gravity remains at the same height when it is displaced.

  Ans neutral

## III. Match the following:

1.	Displacement	(a)	Knot
2.	Light travels	(b)	Geometric centre
	through vacuum		
3.	Speed of ship	(c)	Metre
4.	Centre of gravity	(d)	Larger base area
	of geometrical		10
	shaped object		
5.	Stability	(e)	Uniform velocity

Ans 1-c, 2-e, 3-a, 4-b, 5 - d

# IV. Analogy:

- 1. Velocity: metre/second:: Acceleration: \_\_\_\_\_. 

  Mns metre/second<sup>2</sup>
- 2. Length of scale: metre: Speed of aeroplane: \_\_\_\_\_. Ans knot
- **3.** Displacement / Time : Velocity : : Speed / Time : \_\_\_\_\_ . Ans acceleration

## V. Answer very briefly.

- 1. Asher says all objects having uniform speed need not have uniform velocity. Give reason.
- Ans. An object moving in uniform circular motion is moving around the perimeter of the circle with a constant speed. While the speed of object is constant, its velocity is changing, Ex: Merry-go-round, roller coaster, planets orbiting the sun.
- 2. Saphira moves at a constant speed in the same direction. Rephrase the same sentence in fewer words using concepts related to motion.
- **Ans.** Saphira moves at a straight line with constant velocity.



- **3.** Correct your friend who says that acceleration gives the idea of how fast the position changes.
- **Ans.** There are two possible answers:

Velocity gives an idea of how fast the position changes. or Acceleration gives an idea of how fast the velocity changes.


## VI. Answer briefly.

- 1. Show the shape of the distance time graph for the motion in the following cases.
  - a. A bus moving with a constant speed.
  - b. A car parked on a road side.
- Ans. (a) A bus moving with constant speed.

A bus is moving with a constant speed comes equal distance in equal interval of time.



(b) A car parked on road side.



Distance - time graph of a car parked on a roadside in such that an increase in time, there is no change in distance

# 2. Distinguish between speed and velocity.



Ans.

S.No	Speed	Velocity		
1.	Speed is the distance travelled by an	Velocity is the distance travelled		
	object in unit time.	by an object in unit time in a given direction.		
2.	Speed of a moving body can never be zero.	Velocity of a moving body will be zero, if it returns to its original position. (i.e) when its displacement is zero.		
3.	It is a scalar quantity	It is a vector quantity		
4.	$Speed = \frac{Distance travelled}{time taken}$	$Velocity = \frac{Displacement}{time taken}$		

## 3. What do you mean by constant acceleration?

**Ans.** A body is said to have constant acceleration, if it travels is a straight line and its velocity increases or decreases by equal magnitude in equal intervals of time. Ex: the motion of a freely falling body.



#### What is centre of gravity?



Ans. The centre of gravity of an object is the point through which the entire weight of the object appears to act.

#### VII. Answer in detail.

#### Explain the types of stability with suitable examples.




**Ans.** Stability is a measure of the body's ability to maintain its original position.

The three types of stability are

- Stable equilibrium Ans. (i)
  - (ii) Unstable equilibrium
  - (iii) Neutral equilibrium


#### **Stable Equilibrium:**

The frustum can be tilted through quite a big angle without toppling. Its centre of gravity is raised when it is displaced. The vertical line through its centre of gravity still falls within its base. So it can return to its original position.




#### **Unstable Equilibrium:**

The frustum will topple with the slightest tilting. Its centre of gravity is lowered when it is displaced. The vertical line through its centre of gravity falls outside its base.




### Neutral Equilibrium:

- **(i)** It causes frustum to topple.
- The frustum will rolls about but does not topple. (ii)
- Its centre of gravity remains at the same height (iii) when it is displaced.
- The body will stay in any position to which it (iv) has been displaced.



#### 2. Write about the experiment to find the centre of gravity of the irregularly shaped plate.

- Make three holes in the lamina. Ans. (i)
  - Suspend the lamina from the optical pin through one of the (ii) holes as shown.
  - (iii) Suspend the plumb line from the pin and mark the position of the plumb line on the lamina
  - Draw lines on the lamina representing the positions of the plumb (iv) line.
  - Repeat the above steps for the holes. **(v)**
  - Label the intersection of the three lines as X, the position of the center of (vi) gravity of the lamina.



0

## VIII. Numerical problems:

- 1. Geetha takes 15 minutes from her house to reach her school on a bicycle. If the bicycle has a speed of 2 m/s, calculate the distance between her house and the school.
- Ans. Given: time taken = 15 minutes [1 min = 60 sec] =  $15 \times 60 = 900$  sec

Speed = 2 m/s Distance = ?

Formula: Distance = Speed  $\times$  time =  $2 \times 900$ 

Distance between her house and the school = 1,800 m

2. A car started from rest and it is travelling with velocity of 20 m/s in 10 s. What is its acceleration?

Ans. Given:

Initial velocity of the car (u) = 0 m/s (since the car starts from rest)

Final velocity of the car(v) = 20 m/s

time taken = 10s

Acceleration = ?

Formula: Acceleration =  $\frac{20-0}{10} = \frac{20}{10}$ 

Acceleration of the car =  $2 \text{ m/s}^2$ 

3. A bus can accelerate with an acceleration 1 m /  $s^2$ . Find the minimum time for the bus to attain the speed of 100 km / s from 50 km / s.

Ans. Given:

Acceleration of the bus (a) =  $1 \text{ m/s}^2$ 

Initial velocity (u) = 50 km/s

 $= 50 \times 10^3 \text{ m/s}$ 

Final velocity (v) = 100 km/s

 $= 100 \times 10^3 \text{ m/s}$ 

time (t) = ?

 $a = \frac{v - u}{t} \Rightarrow t = \frac{v - u}{a} = \frac{100 \times 10^3 - 50 \times 10^3}{1} = \frac{(100 - 50) \times 10^3}{1}$   $t = 50 \times 10^3 \text{ s}$ 

# Sura's 🛶 7th Std - Science

#### IX. Fill in the boxes:

S.No.	First Move	Second Move	Distance (m)	Displacement
1.	Move 4 meters east	Move 2 meters west	6	2 m east
2.	Move 4 meters north	Move 2 meters south		
3.	Move 2 meters east	Move 4 meters west		
4.	Move 5 meters east	Move 5 meters west		
5.	Move 5 meters south	Move 2 meters north		
6.	Move 10 meters west	Move 3 meters east		

#### Ans.

S.No	First Move	Second Move	Distance (m)	Displacement
1.	Move 4 meters east	Move 2 meters west	6 m	2 m east
2.	Move 4 meters north	Move 2 meters south	6 m	2 m north
3.	Move 2 meters east	Move 4 meters west	6 m	2 m west
4.	Move 5 meters east	Move 5 meters west	10 m	0 (same place)
5.	Move 5 meters south	Move 2 meters north	7 m	3 m south
6.	Move 10 meters west	Move 3 meters east	13 m	7 m west

# **Intext Activites**

#### → ACTIVITY

1. As shown in the picture, Kavitha can reach her school in two ways. Can you tell, by choosing which path she could reach the school early.

Road A

Road B

**Ans.** By choosing road A kavitha could reach the school early as the distance is less compared to road B.





Path of the leaf, when there is no wind.




Path of the leaf when there is wind.

## In which path the leaf will reach the ground first?

**Ans.** The leaf will reach the ground first by path - A, as it reach as the ground in straight line.

# Sura's 🛶 7th Std - Science


3. Uma and Priya are friends studying in the same school. After school hours, they go to the nearby playground, play games and return back home. One day Uma told that she would reach the playground after visiting her grandmother's house. The path in which they took reached the playground is shown here.



Take a twine and measure the length of the two paths (A & B). Which is the longest path among the two?

**Ans.** Path A is the longest among the two. as it is not a straight line.

4. The path in which a rabbit ran is shown in figure. Let us consider that each square is in an unit of one square meter. The rabbit starts from point A and reaches the point B. Find the distance and displacement of it in the two figures. When will the distance and displacement be equal? (The starting point and finishing point should be different).




Ans. Distance: 17 Distance: 24 Displacement: 1

When the rabbit moves in a straight line from A to B, the distance and displacement will be equal.

5. When we represent the displacement, we use a positive or negative sign depending on the direction in which it travels. displacement is considered to be positive and it is negative, when it travels from B to A.

Subha goes to the nearby playground from her home. Look at the picture and answer the following questions



- 1. What is the distance she travelled?
- **Ans.** 400 m
  - 2. What is her displacement?

**Ans.** 100 m

3. The distance travelled by an object is 15 km and its displacement is 15 km. What do you infer from this?

**Ans.** The object moves in a straight line in one direction without turning back.

- 4. The distance of a person is 30 km and his displacement is 0 km. What do you infer from this?
- **Ans.** The distance of a person = 30 km. Displacement = 0 km.

The person returns to the same position where he has started.

(i.e.) The initial and the final position is same.



- **6.** Answer the following questions:
  - (i) Calculate the velocity of a car travelling with a uniform velocity covering 100 m distance in 4 seconds.

Ans. Velocity = 
$$\frac{\text{Distance}}{\text{time}} = \frac{100}{4} = 25 \text{ m/s}$$

(ii) Usain Bolt covers 100 m in 9.58 seconds. Calculate his speed. If Usain Bolt competes with a Cheetah which is running at a speed of 30 m/s, who will be the winner?

Ans. Speed of Usain Bolt = 
$$\frac{\text{Distance}}{\text{time}} = \frac{100}{9.58}$$
  
Speed of Usain Bolt =  $10.43 \text{ m/s}$ ; Speed of cheetah =  $30 \text{ m/s}$ 

- :. Cheetah will be the winner.
- (iii) You are walking along east direction covering a distance of 4 m, then 2m towards south, then 4 m towards west and at last 2 m towards north. You cover the total distance in 21 seconds. What is your average speed and average velocity?

Ans. Total distance covered = 12 m

Total time taken = 21 seconds

Average speed = 
$$\frac{\text{Total distance covered}}{\text{total time}}$$


$$= \frac{12\text{m}}{21} = \boxed{0.571 \text{ m/s}}$$

Average velocity =  $\boxed{0 \text{ m/s}}$ 

Average velocity is zero because the starting point and the finishing point is same ∴Displacement is zero so, average velocity is also

$$\therefore \text{ Average velocity } = \frac{\text{Total displacement}}{\text{time}}$$

7. The velocity of a train at different times is given in the figure. Analyse this and complete the table.



# 🕏 Sura's 🛶 7th Std - Science

The distance travelled by train	Initial velocity (u) m/s	Final velocity (v) m/s	Change in velocity (v – u) m/s	Time taken (t) s	Acceleration = change in velocity / time $a = (v - u) / t$ $m / s2$
A-B	0	6	6	10	0.6
В-С					
C-D					
D-E					
E-F					

#### Ans.

The distance travelled by train	Initial velocity (u) m/s	Final velocity (v) m/s	Change in velocity (v – u) m/s	Time taken (t)	Acceleration = change in velocity / time a = (v - u) / t $m / s^2$
A-B	0	6	6	10	0.6
В-С	6	14	14 - 6 = 8	10	0.8
C-D	14	14	14 - 14 = 0	10	0
D-E	14	6	6 - 14 = -8	10	-0.8
E-F	6	2	2 - 6 e - 4	10	-0.4

#### **Analysis:**

When the train covers the distance A to B and B to C, it is accelerated motion. When it covers the distance C-D, there is no acceleration (i.e) uniform velocity. When it covers the distance D to E and E to F it has negative acceleration or deceleration or retardation. (i.e.) Its velocity decreases with respect to time.

8. My name is cheetah. I can run at a great speed. Do you know what my speed is? It is 25 m/s to 30 m/s. My speed changes from 0 to 20 m/s in 2 second. See how good my acceleration is!! Can you calculate it?



**Ans.** Acceleration of the cheetah =

 $= \frac{\text{Final velocity(v)-Initial velocity(u)}}{\text{time taken}}$ 

$$= \frac{v - u}{t} = \frac{20 - 0}{2} = \frac{20}{2} = \boxed{10 \text{ m/s}^2}$$

Acceleration of the cheetah =  $10 \text{ m/s}^2$ 

9.

Time (s)	1	2	3	4	5	
Velocity (m/s)	20 + 20 40 + 20		60 + 20	80 + 20	100 + 20	
	(Acceleration)					
	100 - 20	80 - 20	60 - 20	40 – 20	20 - 20	
	(Deceleration)					




When the velocity of the object is increasing by 20 m/s the acceleration is  $20 \text{ m/s}^2$ . When the velocity of the object is decreasing by 20 m/s the deceleration is  $20 \text{ m/s}^2$ .

**Ans.** When the velocity of the object is decreasing by 20m/s the deceleration is 20 m/s<sup>2</sup>.

Deceleration = 
$$\frac{\text{Decrease in velocity}}{\text{time}}$$
$$t = \frac{\text{Decrease in velocity}}{\text{Deceleration}}$$
$$t = \frac{20}{20} = \boxed{\text{Is}}$$

The velocity of the object is decreasing by 20m/s in one second.

10. Imagine and write a story on your own for the given graph?



**Ans.** Raghul and his father starting from home to the school by car. At the school gate, he stopped the car to drop Raghul. After 2 minutes he went back to home to pick up his mother. Then they both started to go to their work. On the way, they are waiting for the signal.



# **Additional Questions**

- I. Choose the correct answer.
- 1. Distance travelled by a body in a given time
  - (a) is always positive
- (b) can be zero or positive
- (c) is always negative
- (d) either (a) or (c)

Ans (b) can be zero or positive

- 2. Which of the following is correct
  - (a) magnitude of displacement may be greater than distance.
  - (b) Distance is always greater than or equal to the magnitude of displacement.
  - (c) Distance is always greater than the magnitude of displacement.
  - (d) Both are scalar quantities.

Ans (b) Distance is always greater than or equal to the magnitude of displacement.