

RECRUITMENT OF NURSES

Expected Questions

1. **Growth retardation can be identified by**
 - (a) Blood Examination
 - (b) Weight recording
 - (c) Feeding pattern
 - (d) Apgar score
2. **The primary physical effect of alcohol in the body is to:**
 - (a) Depress the central nervous system
 - (b) Stimulates the cerebral cortex
 - (c) Decrease the irritability of muscle cells
 - (d) Increase activity on Gastro - intestinal system
3. **Which of the following is the hereditary material of cells?**
 - (a) Protein in the ribosomes
 - (b) R.N.A in the nucleus
 - (c) D.N.A in the chromosomes
 - (d) Ribosomes in the cytoplasm
4. **BFHI (Baby Friendly Hospital Initiative) launched in the year:**
 - (a) 1991
 - (b) 1977
 - (c) 1998
 - (d) 1981
5. **The commonest type of Jaundice in the newborn :**
 - (a) Haemolytic
 - (b) Hepatogenic
 - (c) Obstructive
 - (d) Physiological
6. **The Ultimate objective of M.C.H. care is:**
 - (a) Immunization
 - (b) Life long health
 - (c) Promotion of breast feeding
 - (d) Health communication and Education
7. **The mental disorder known as "Split personality":**
 - (a) Psychoneurosis
 - (b) Psychosis
 - (c) Schizophrenia
 - (d) Paranoia
8. **The best time for IUD insertion is between:**
 - (a) 3-7 days of the menstrual cycle
 - (b) 7-15 days of the menstrual cycle
 - (c) 3-5 days of ovulation period
 - (d) 15-20 days of menstrual cycle
9. **An operative procedure used to assess the interior anatomy of the uterus and tube including tubal patency:**
 - (a) Hysterectomy
 - (b) Hysteroscopy
 - (c) Dilatation and insufflation
 - (d) Hysterosalpingography
10. **Anisometropia is a condition, where there is:**
 - (a) Variation in the refractive power of two eyes
 - (b) Differences in the image sizes
 - (c) The ideal refractive condition
 - (d) Refractive error is present
11. **Which one of the following is a function of liver?**
 - (a) Synthesis of plasma proteins
 - (b) Elimination of Carbohydrates
 - (c) Concentration of Bile
 - (d) Secretion of Cholecystokinin
12. **A patient requests that an I.V. not be initiated in his hand, which site is the next best of choice:**
 - (a) Forearm
 - (b) Antecubital fossa
 - (c) Upper arm
 - (d) Lower extremity

- | | |
|---|--|
| <p>13. The cells involved in the specific immune response are derived from:</p> <ul style="list-style-type: none"> (a) Lymphatic tissues (b) Bone marrow (c) Immunoglobulins (d) Spleen <p>14. Soap is valuable in cleansing the skin, because it is:</p> <ul style="list-style-type: none"> (a) Acidic (b) Lathers freely (c) Alkaline (d) Lowers surface tension <p>15. How much sodium chloride must be added to one litre of water to make normal saline:</p> <ul style="list-style-type: none"> (a) 0.9 gms (b) 9 gms (c) 0.09 gms (d) 90 gms <p>16. Which patient is at risk for respiratory acidosis?</p> <ul style="list-style-type: none"> (a) The patient with uncontrolled diabetes melliti (b) The patient with chronic pulmonary disease (c) The patient who is very anxious (d) The patient who overuses antacids <p>17. After a laryngectomy, which of the following assessment takes priority:</p> <ul style="list-style-type: none"> (a) Airway patency and respiratory function (b) Nutritional status (c) Lung sounds (d) Fluid balance <p>18. Which results from too much cortisol secretion in the body?</p> <ul style="list-style-type: none"> (a) Addison's disease (b) Hypothyroidism (c) Cushing's Syndrome (d) Pheochromocytoma <p>19. A butterfly rash is a classic symptom of..... Which of the following disorder?</p> <ul style="list-style-type: none"> (a) Paget's disease (b) Rheumatoid arthritis (c) Osteo Sarcoma (d) Lupus erythematous | <p>20. Who is the President of Trained Nurses association of India?</p> <ul style="list-style-type: none"> (a) Mrs. Shiela Seda (b) Mrs. Anitha Malik (c) Sr. (Prof.) Gilbert (d) Mrs. Gracy Mathai <p>21. Basic unit of health care delivery service is:</p> <ul style="list-style-type: none"> (a) District Hospitals (b) Primary Health Centeres (c) Community Health Centeres (d) Sub centeres situated in the village <p>22. The normal number of cardiac cycles per minute range from:</p> <ul style="list-style-type: none"> (a) 60-80 (b) 90-100 (c) 60-100 (d) 50-60 <p>23. A primary central organ of the lymphatic system, plays vital role in immunity:</p> <ul style="list-style-type: none"> (a) Spleen (b) Thymus (c) Liver (d) Tonsills <p>24. In a Blood pressure recording, it is 110/80 mm. of Hg, the pulse pressure in this value is:</p> <ul style="list-style-type: none"> (a) 110 (b) 80 (c) 30 (d) 190 <p>25. In MASLOW's hierarchy of needs, which considered as the most basic:</p> <ul style="list-style-type: none"> (a) Love and belonging needs (b) Physiological needs (c) Esteem needs (d) Self actualization needs <p>26. One of the toxic symptoms to be watched for in a patient getting Digoxin is:</p> <ul style="list-style-type: none"> (a) Peripheral oedema (b) Rashes (c) Oligurea (d) Bradycardia |
|---|--|

- | | |
|--|---|
| <p>27. The best treatment for an allergy is:</p> <ul style="list-style-type: none"> (a) Live in a room free of dust (b) Use an electrostatic filter (c) Prevent the person from coming in contact with the sensitizing allergens (d) Use antihistamines <p>28. Which one of the following is not necessary in the management of pulmonary oedema?</p> <ul style="list-style-type: none"> (a) O₂ at high flow rate (b) Mechanical ventilation (c) Diuretics (d) Thoracentesis <p>29. The largest gland in the human body:</p> <ul style="list-style-type: none"> (a) LIVER (b) PANCREAS (c) THYROID (d) PITUITARY <p>30. Cigarette smoking can affect the circulation by:</p> <ul style="list-style-type: none"> (a) Narrowing of the blood vessels (b) Over expanding of the blood vessels (c) Blocking of the blood vessels (d) Extravasation of blood <p>31. Which one of the following is not a sign of fluid overload:</p> <ul style="list-style-type: none"> (a) Elevated C.V.P. reading (b) Abdominal distension (c) Dyspnea (d) Bounding pulse <p>32. The largest cavity in the human body:</p> <ul style="list-style-type: none"> (a) Thoracic Cavity (b) Cranial Cavity (c) Abdominal Cavity (d) Pelvic Cavity <p>33. The largest part of the brain is:</p> <ul style="list-style-type: none"> (a) Cerebrum (b) Cerebellum (c) Hypothalamus (d) Medulla | <p>34. The most common clinical finding associated with Cancer of the urinary bladder:</p> <ul style="list-style-type: none"> (a) Suprapubic pain (b) Pain less haematuria (c) Dysuria (d) Urinary Retention <p>35. When the body temperature raised to 105° F or above it is called:</p> <ul style="list-style-type: none"> (a) Hyperthermia (b) Rigor (c) Hyperpyrexia (d) High pyrexia <p>36. Appropriate position for a client with severe ascites:</p> <ul style="list-style-type: none"> (a) Sidelying (b) Sim's (c) Dorsal (d) Fowler's <p>37. Injection Atrophine Sulphate is given preoperatively, helps to:</p> <ul style="list-style-type: none"> (a) Promote muscular relaxation (b) Decrease anxiety and worry (c) Decrease bleeding (d) Inhibit oral and respiratory secretions <p>38. The primary function of the prostate glands:</p> <ul style="list-style-type: none"> (a) To store under developed sperm before ejaculation (b) To regulate proper sperm development (c) To produce a secretion that aids the nourishment and passage of sperm (d) To stimulate the production and maturation of sperms <p>39. A client at risk for increased intracranial pressure, which of the following would be the priority for the nurse to monitor:</p> <ul style="list-style-type: none"> (a) Unequal pupil size (b) Decreasing systolic blood pressure (c) Tachycardia (d) Increasing body temperature |
|--|---|

- | | |
|---|--|
| <p>40. Which of the following is an initial sign of Parkinson's disease?</p> <ul style="list-style-type: none"> (a) Rigidity (b) Tremor (c) Akinesia (d) Bradykinesia <p>41. Which symptom is an early indicator of hypoxia in an unconscious client?</p> <ul style="list-style-type: none"> (a) Cyanosis (b) Decreased respiration (c) Restlessness (d) Hypotension <p>42. Frequent Vaginal examination should be avoided in a pregnant client with premature rupture of membrane because, they can:</p> <ul style="list-style-type: none"> (a) Increase risk for infection (b) Stimulate preterm labour (c) Cause prolonged labour (d) Induce bleeding <p>43. Which of the following would be an important assessment finding for an eight month old infant admitted with severe diarrhoea?</p> <ul style="list-style-type: none"> (a) Absent Bowel sounds (b) Pale yellow urine (c) Normal skin elasticity (d) Depressed anterior fontanelle <p>44. Peripheral blood flow is dependent on:</p> <ul style="list-style-type: none"> (a) Blood viscosity and diameter of vessels (b) Diameter and resistance of vessels (c) Force of contraction of heart and resistance of vessels (d) Pressure differences in the arterial and venous system and resistance <p>45. Meniere's disease affects:</p> <ul style="list-style-type: none"> (a) Ear (b) Eye (c) Nose (d) Skin <p>46. In presbyopia the individual needs to hold the reading material:</p> <ul style="list-style-type: none"> (a) very close to the eyes (b) at arms length (c) not too close to the eyes (d) so distant to the eyes | <p>47. Which of the following clients is at risk for varicose veins?</p> <ul style="list-style-type: none"> (a) A client who had C.V.A (b) A client who has had anaemia (c) A client who has had thrombo phlebitis (d) A client who has had transient ischemic attacks. <p>48. The pain associated with migraine headache is caused by:</p> <ul style="list-style-type: none"> (a) Dialation of the Cranial arteries (b) A temporary decrease in intracranial pressure (c) Irritation and inflammation of the opening of sinuses (d) Sustained Contraction of muscles around the scalp of face <p>49. The goal of Nursing Care for a client with acute myeloid-leukaemia is to prevent:</p> <ul style="list-style-type: none"> (a) Cardiac arrhythmia (b) Liver failure (c) Renal failure (d) Haemorrhage <p>50. A client with pneumonia is experiencing pleurite chest pain, he describes:</p> <ul style="list-style-type: none"> (a) Severe media sternal pain (b) Moderate pain that worsens on inspiration (c) A mild but constant aching in the chest (d) Muscle spasm pain that accompanies coughing <p>51. Which of the following systems is not blocked by spinal anaesthesia?</p> <ul style="list-style-type: none"> (a) The sympathetic nervous system (b) The sensory nervous system (c) The parasympathetic system (d) The motor system <p>52. Reproductive and child health programme (R.C.H.) launched in 1997, is a continuation and modification of.....programme.</p> <ul style="list-style-type: none"> (a) C.S.S.M. (b) M.C.H (c) I.C.D.S (d) B.F.H.I |
|---|--|

- | | |
|--|---|
| <p>53. A wound with uneven edges is known as:</p> <ul style="list-style-type: none"> (a) Incised (b) Bruised (c) Punctured (d) Lacerated <p>54. It is the reward of labour for its contribution to the production activity:</p> <ul style="list-style-type: none"> (a) Interest (b) Profit (c) Rent (d) Wage <p>55. Smallest unit of culture is:</p> <ul style="list-style-type: none"> (a) Complex (b) Trait (c) Moral (d) Subculture <p>56. One of the best form of controlled thinking:</p> <ul style="list-style-type: none"> (a) Imagination (b) Reasoning (c) Day dreaming (d) Memorizing <p>57. Nosocomial infection means:</p> <ul style="list-style-type: none"> (a) Infection from animal source (b) Infection from mosquito bite (c) Infection acquired from hospital (d) Infection acquired from home care <p>58. Romberg sign is an indication of</p> <ul style="list-style-type: none"> (a) Some disturbance in equilibrium (b) Muscle reflex (c) Plantar reflex (d) Cutaneous reflexes <p>59. National mental health programme was launched during:</p> <ul style="list-style-type: none"> (a) 1st five year plan (b) 3rd five year plan (c) 6th five year plan (d) 7th five year plan | <p>60. Government of India re-designated National Family Planning Programme as National Family Welfare programme in the year:</p> <ul style="list-style-type: none"> (a) 1977 (b) 1953 (c) 1975 (d) 1969 <p>61. Code of Ethics for nurses is:</p> <ul style="list-style-type: none"> (a) Set of rules (b) Guide for professional behaviour (c) Set of right behaviour (d) Set of wrong behaviour <p>62. The nucleus of health service in rural area is:</p> <ul style="list-style-type: none"> (a) Primary health centre (b) Sub centres (c) Community health centre (d) Rural hospitals <p>63. The pressure exerted by a fluid with in a closed system is:</p> <ul style="list-style-type: none"> (a) Osmotic pressure (b) Oncotic pressure (c) Hydrostatic pressure (d) Hydrolic pressure <p>64. Mercury is a liquid metal used in thermometer because:</p> <ul style="list-style-type: none"> (a) It reflects the temperature reading (b) It fluctuates and falls easily after reading (c) Expansion is quick and easy to read (d) Expansion is uniform and is easily visible <p>65. The greatest advantage of CAT scan is:</p> <ul style="list-style-type: none"> (a) The accuracy of diagnosis is nearly 100% (b) Non invasive procedure with no risks to client (c) Shows the actual anatomical relationship of all structures (d) Image all tissues in three dimensions <p>66. The caloric test provides information about</p> <ul style="list-style-type: none"> (a) Functions of external auditory canal (b) Functions of vestibular portion of 8th cranial nerve (c) Functions of the middle ear (d) None of the above |
|--|---|

- | | |
|---|--|
| <p>67. The main cause of Neonatal Convulsion during the first 24 hours is:</p> <ul style="list-style-type: none"> (a) Due to intracranial injury (b) Due to hypotaicaeima (c) Due to hypo glycemia (d) Due to hyper glycemia <p>68. The strongest joint in the body is:</p> <ul style="list-style-type: none"> (a) Shoulder joint (b) Knee joint (c) Hip joint (d) Sacroiliac joint <p>69. Prolapse of the cord during second stage of labour is treated by:</p> <ul style="list-style-type: none"> (a) Forceps delivery (b) Caesarean section (c) Episiotomy (d) Cord resection <p>70. The I.Q of a person with normal intelligence is:</p> <ul style="list-style-type: none"> (a) 50-69 (b) 70-80 (c) 90-109 (d) 110-119 <p>71. The key for effective communication is:</p> <ul style="list-style-type: none"> (a) Listening (b) Hearing (c) Talking (d) Sharing <p>72. "Sour grape mechanism" is a form of :</p> <ul style="list-style-type: none"> (a) Projection (b) Rationalization (c) Substitution (d) Sublimation <p>73. Which Committee is known as the health survey and planning committee?</p> <ul style="list-style-type: none"> (a) Mudaliyar Committee (b) Bhore Committee (c) Kartar Committee (d) Shrivastav Committee | <p>74. Central Births and Death Registration Act came into force on:</p> <ul style="list-style-type: none"> (a) 1st April 1970 (b) 7th April 1980 (c) 12th May 1990 (d) 10th November 1990 <p>75. Which of the following methods can be used to asses the visual field?</p> <ul style="list-style-type: none"> (a) Inspections with ophthalmoscope (b) Fluorescein angiography (c) Test with a snellen chart (d) Confrontation test <p>76. A closed sac or pouch which consist of semi solid, solid or liquid material is a:</p> <ul style="list-style-type: none"> (a) Vesicle (b) Nodule (c) Cyst (d) Pustule <p>77. The objective of W.H.O is:</p> <ul style="list-style-type: none"> (a) The attainment by all people of the highest level of health (b) To promote the well being of mankind through out the world (c) To help the poorer nations (d) Assist for the development of countries <p>78. Placenta is directly anchored to the myometrium is:</p> <ul style="list-style-type: none"> (a) Bipartite placenta (b) Placenta accreta (c) Retained placenta (d) Placenta circum vallata <p>79. The back bone of public health nursing is:</p> <ul style="list-style-type: none"> (a) Immunization (b) School health programme (c) Home visiting (d) Nutritional programme <p>80. Government of India launched National Rural Health Mission (NRHM) on:</p> <ul style="list-style-type: none"> (a) 7th April 1977 (b) 14th November 1953 (c) 1st December 1975 (d) 5th April 2005 |
|---|--|

- 81. Repeated small movements of a habitual kind:**
- (a) Tics
 - (b) Compulsion
 - (c) Mannerism
 - (d) Over activity
- 82. Filling the gap of memory with fabrication:**
- (a) Amnesia
 - (b) Paramnesia
 - (c) Dejavu
 - (d) Hyperamnesia
- 83. The universal immunization programme was launched on:**
- (a) 4th July 1987
 - (b) 14th November 1985
 - (c) 2nd October 1987
 - (d) 19th November 1985
- 84. Treadmill test done for a cardiac patient is to plan:**
- (a) Dietary regime for the patient
 - (b) Drug adjustment
 - (c) Progressive physical activity
 - (d) His discharge from the hospital
- 85. Religion is an important institution of:**
- (a) Social control
 - (b) Social process
 - (c) Community
 - (d) Modernization
- 86. Epigastric pain occurs in severe case of pre-eclamptic toxemia, the reason is:**
- (a) Vasoconstriction
 - (b) Congestion of Lungs
 - (c) Oedema of Liver
 - (d) Enlargement of abdomen
- 87. The angle of inclination of pelvic outlet is:**
- (a) 30
 - (b) 15
 - (c) 45
 - (d) 90
- 88. Principles underlying radio therapy is:**
- (a) Malignant cells are more sensitive to radiation than normal cells.
 - (b) Resistance to normal cells is increased
 - (c) Radiation may cause metastasis
 - (d) Radiation kills the organisms
- 89. Most important objective during the post burn phase is to:**
- (a) Prevent infection
 - (b) Replace fluid volume
 - (c) Replace blood loss
 - (d) Relieve pain
- 90. Endemic diseases refer to those occur:**
- (a) Generally throughout the entire population
 - (b) Sporadically throughout the entire population
 - (c) In a limited population in a localized geographical area
 - (d) In a large population in a localized geographical area
- 91. Normal pacemaker of the heart is:**
- (a) Bundle of His
 - (b) S. A. node
 - (c) A. V. node
 - (d) Lymph node
- 92. The type of membrane that lines the knee joint:**
- (a) Serous
 - (b) Mucous
 - (c) Epithelial
 - (d) Synovial
- 93. The most important diagnostic test in malaria:**
- (a) Smear of peripheral blood
 - (b) Erythrocyte sedimentation rate
 - (c) Blood leucocyte count
 - (d) Splenic puncture
- 94. Weils disease otherwise called:**
- (a) Leukoderma
 - (b) Leprosy
 - (c) Leptospirosis
 - (d) Lymphoma

<p>95. Loss of Speech known as:</p> <p>(a) Aphonia (b) Aphasia (c) Aphagia (d) Ataxia</p> <p>96. Oedema is most effectively controlled in patients with heart failure by:</p> <p>(a) Proper positioning (b) Medication (c) Fluid restriction (d) Restriction of sodium</p> <p>97. The positive sign in deep vein thrombosis is:</p> <p>(a) Jaquemer's sign (b) Hegar's sign (c) Homan's sign (d) Kernig's sign</p> <p>98. Downwards displacement of the kidney is:</p> <p>(a) Nephrosclerosis (b) Nephrotic syndrome (c) Hydronephrosis (d) Nephrotosis</p> <p>99. The normal serum cholesterol is:</p> <p>(a) 25 to 150mg/dl (b) 2.5 to 4.5 mg/dl (c) 100 to 300 mg/dl (d) Less than 200 mg/dl</p> <p>100. Bile salts are particularly important for digestion of :</p> <p>(a) Fats (b) Proteins (c) Carbohydrates (d) Fibrous food</p> <p>101. An increase in number of cells resulting from increased cellular division is known as:</p> <p>(a) Hyperplasia (b) Hypertrophy (c) Atrophy (d) Dysplasia</p>	<p>102. There are.....cranial nerves</p> <p>(a) 10 (b) 8 (c) 12 (d) 4</p> <p>103. The arterial blood gases of a client is deteriorating and respiratory failure is impending nurse first assess for:</p> <p>(a) Cyanosis (b) Bradycardia (c) Confusion (d) Distended neck veins</p> <p>104. Vaginal hysterectomy is usually indicated in:</p> <p>(a) Fibroid uterus (b) Genital prolapse (c) Genitourinary fistula (d) Endometriosis</p> <p>105. When providing care to patients with thrombocytopenia the nurse must avoid aspirin because it:</p> <p>(a) Interferes with platelet aggregation (b) Destroy thrombocytes (c) Reduces circulation (d) Produces haemolysis</p> <p>106. The nurse must assess a client experiencing excessive production of ADH for:</p> <p>(a) Hyponatraemia (b) Hyperglycaemia (c) Polyuria (d) Dehydration</p> <p>107. Capto pril is:</p> <p>(a) Antipyretic (b) Antihypertensive (c) Diuretic (d) Antipsychotic</p> <p>108. The hormone that stimulates the secretion of milk from mammary gland is:</p> <p>(a) Oxytocin (b) HCG (c) Prolactin (d) Oestrogen</p>
---	--

- | | |
|--|--|
| <p>109. Erythro pectin is secreted by:</p> <ul style="list-style-type: none"> (a) Liver (b) Kidney (c) Pancreas (d) Adrenals <p>110. -----is them movement of solutes from an area of greater concentration to an area of lesser concentration:</p> <ul style="list-style-type: none"> (a) Diffusion (b) Osmosis (c) Conduction (d) Ultrafiltration <p>111. Uterus will be enlarged and fundus is at the level of umbilicus at----- weeks of gestation.</p> <ul style="list-style-type: none"> (a) 24 weeks (b) 16 weeks (c) 32 weeks (d) 20 weeks <p>112. Dots is related with;</p> <ul style="list-style-type: none"> (a) HIV infection (b) Leprosy (c) Weils Disease (d) Tuberculosis <p>113. Hepatitis A is transmitted by:</p> <ul style="list-style-type: none"> (a) Contaminated food and water (b) Blood and blood products (c) Fomites (d) Sexual contact <p>114. -----are antipsychotics except:</p> <ul style="list-style-type: none"> (a) Promethazine (b) Chlorpromazine (c) Prochlorperazine (d) Trifluoperazine <p>115. 1 gm of protein gives-----k cal.</p> <ul style="list-style-type: none"> (a) 10 (b) 7 (c) 5 (d) 4 | <p>116. -----is the method of transfer of heat by circulating air or liquid:</p> <ul style="list-style-type: none"> (a) Radiation (b) Conduction (c) Convection (d) Evaporation <p>117. This is not included in the triple test:</p> <ul style="list-style-type: none"> (a) Maternal serum alphafoetoprotein (b) Unconjugated oestniol (c) KCG (d) Progesterone <p>118. Massaging the uterus to make it hard is important in:</p> <ul style="list-style-type: none"> (a) Traumatic PPH (b) Atonic PPH (c) Sub involution (d) Inversion of uterus <p>119. All of the following are adventitious breath sounds except:</p> <ul style="list-style-type: none"> (a) Crackles (b) Rhonchi (c) Wheeze (d) Fremitus <p>120. The apex beat can be best heard at:</p> <ul style="list-style-type: none"> (a) 5th intercostal space (b) 3rd intercostal space (c) 71th intercostal space (d) Centre of the sternum <p>121. The proponent of psychoanalysis theory is:</p> <ul style="list-style-type: none"> (a) Ivan Pavlov (b) B F Skinner (c) Sigmond Freud (d) Eric Berne <p>122. It is an increase in depth of respiration:</p> <ul style="list-style-type: none"> (a) Apnoea (b) Dyspnoea (c) Orthopnoea (d) Hyperpnoea |
|--|--|

- 123. Mitral valve is situated between:**
- (a) Right atrium and right ventricle
 - (b) Left atrium and left ventricle
 - (c) Aorta and left ventricle
 - (d) Pulmonary artery and right ventricle

- 124. The normal value of Hb in females is:**

- (a) 8 to 10 gm%
- (b) 12 to 14 gm%
- (c) 16 to 18 gm%
- (d) 10 to 12 gm%

- 125. All of the following are components of glasgow coma scale except:**

- (a) Motor response
- (b) Mental status
- (c) Eye opening
- (d) Verbal response

- 126. Vincristine is an example of:**

- (a) Antibiotic
- (b) Nitrogen mustard
- (c) Plant alkaloid
- (d) Hormone

- 127. The suffix used for making an opening is:**

- (a) Otomy
- (b) Ostomy
- (c) Ectomy
- (d) Rraphy

- 128. Mydriatics are drugs that:**

- (a) Dilate pupil
- (b) Constrict pupil
- (c) Reduce intraocular pressure
- (d) Reduce BP

- 129. The normal baseline FHR is between:**

- (a) 100--140/mt
- (b) 80--100/mt
- (c) 120--160/mt
- (d) 160--180/mt

- 130. When a patient is receiving anti-coagulants this drug is contraindicate as:**

- (a) Frusemide
- (b) Chlorpromazine
- (c) Acetyl Sali Cycli Acid
- (d) Phenytoin Sodium

- 131. In increased ICP manifestations of cushings triad include all of the following except:**

- (a) Increased systolic BP
- (b) Bradycardia
- (c) Irregular respiratory pattern
- (d) Tachycardia

- 132. After IVP for a patient the most important nursing responsibility is:**

- (a) Assess for flank pain
- (b) Advice to take increased oral fluids
- (c) Observe urine for contrast material
- (d) Keep nil orally for 6 hours

- 133. Enlargement of the right ventricle secondary to diseases of the lung, thorax or pulmonary circulation is:**

- (a) Cachexia
- (b) Cardiac tamponade
- (c) Corpul monale
- (d) CCF

- 134. Propranolol in included under:**

- (a) Beta adrenergic blockers
- (b) Antiplatelet agents
- (c) Calcium channel blockers
- (d) ACE inhibitors

- 135. Dumping syndrome may occur in**

- (a) Gastrostomy
- (b) Gastrectomy
- (c) Colostomy
- (d) Pneumonectomy

136. An elevation ofhas a strong and direct association with CAD
- (a) LDL
 - (b) HDL
 - (c) Serum Sodium
 - (d) Serum creatinine
137. A client with dysphagia experience difficulty in:
- (a) Writing
 - (b) Swallowing
 - (c) Walking
 - (d) Comprehension
138. It is most important for the nurse to observe a client with tetanus for:
- (a) Muscular rigidity
 - (b) Respiratory tract spasm
 - (c) Restlessness and irritation
 - (d) Spastic voluntary contraction
139. Infections which occur as a result of diagnostic procedure or treatment is called:
- (a) Cross infection
 - (b) Latrogenic infection
 - (c) Contagious Disease
 - (d) Communicable Disease
140. Third degree genital prolapse is otherwise called:
- (a) Retroversion
 - (b) Inversion
 - (c) Procidentia
 - (d) Fibroid uterus
141. The increased caloric need during puerperium is:
- (a) 1000 Kcals
 - (b) 500 Kcals
 - (c) 300 Kcals
 - (d) 800 Kcals
142. Increased pulsation felt in lateral fornices of vagina in pregnancy is termed as:
- (a) Chadwicks Sign
 - (b) Oslanders Sign
 - (c) Goodell's Sign
 - (d) Hegar's Sign
143. The disadvantage of ileal conduct is:
- (a) Peristalsis greatly reduced
 - (b) Stool continuously oozes from it
 - (c) Urine continuously drains from it
 - (d) Absorption of nutrients is decreased
144. Lipid profile test consists of the following except:
- (a) LDL
 - (b) HDL
 - (c) Total cholesterol
 - (d) SGOT
145. The anti dote for $MgSO_4$ is:
- (a) Calcium gluconate
 - (b) KCl
 - (c) NaCl
 - (d) $NaHCO_3$
146. The causative organism for tetanus is:
- (a) *Colstridium wel chii*
 - (b) *Costridium tetani*
 - (c) *Salmonella typhi*
 - (d) *Treponema Pallidum*
147. Angiotensin II is a
- (a) Vasoconstrictor
 - (b) Vasodilator
 - (c) Broncho dilator
 - (d) Muscle relaxant

148. Tocolytics act on uterus to produce:

- (a) Contraction
- (b) Relaxation
- (c) Retraction
- (d) Constriction

149. Increased prolactine level:

- (a) Suppress ovulation
- (b) Induce ovulation
- (c) Suppress lactation
- (d) Induce uterine relaxation

150. A patient with CCF is getting digitalis therapy and loop diuretic. In order to prevent complication the nurse needs to:

- (a) Monitor serum potassium levels
- (b) Maintain I/O chart
- (c) Restrict intake of potassium
- (d) Stop digitalis if heart rate is above 100

151. The normal value of RBS is:

- (a) 60 - 80 mg
- (b) 100 - 140 mg
- (c) 90 - 130 mg
- (d) 80 - 120 mg

152. Acetabulum is the part of:

- (a) Scapula
- (b) Hip bone
- (c) Radius
- (d) Femur

153. Polydipsia means excessive:

- (a) Thirst
- (b) Hunger
- (c) Sweating
- (d) Peristalsis

154. After adrenalectomy for pheochromocytoma the patient is likely to experience:

- (a) Hyperkalaemia
- (b) Hypokalaemia
- (c) Marked variations in BP
- (d) Sodium & Fluid retention

155. Following kidney transplantation signs of rejection include :

- (a) Fever, weight loss, increased urine output, and increased BP
- (b) Fever, weight gain, increased urine output, and increased BP
- (c) Fever, weight loss, increased urine output, and reduced BP
- (d) Fever, weight gain, reduced urine output, and increased BP

156. The quantity of fluid intake allowed for a patient with renal failure is:

- (a) Previous day's urine output + 500ml
- (b) Previous day's urine output + 1000ml
- (c) One litre
- (d) Equal to the amount of previous day's urine output

157. Lack of intrinsic factor in the stomach results in failure of absorption of vitamin:

- (a) B₁
- (b) B₆
- (c) B₂
- (d) B₁₂

158. Vitamin K is essential for normal blood clotting because it promotes:

- (a) Platelet aggregation
- (b) Ionization of blood calcium
- (c) Fibrinogen formation by liver
- (d) Prothrombin formation by liver

159. The most lethal arrhythmia among the following is:

- (a) Ventricular fibrillations
- (b) Atrial fibrillation
- (c) Sinus Tachycardia
- (d) First degree heart block

- | | |
|--|--|
| <p>160. The higher the RBC count:</p> <ul style="list-style-type: none"> (a) the less the haematocrit (b) the greater the viscosity (c) the higher the blood pH (d) immunity will be less <p>161. Glaucoma is characterised by the following features except:</p> <ul style="list-style-type: none"> (a) Increased intraocular pressure (b) Optic nerve atrophy (c) Inflammation of cornea (d) Peripheral visual field loss <p>162. The majority of the body's water is contained in which of the following fluid compartments:</p> <ul style="list-style-type: none"> (a) Interstitial (b) Intracellular (c) Extracellular (d) Intravascular <p>163. In nephrotic syndrome aedema results from:</p> <ul style="list-style-type: none"> (a) Reduced Aldo Sterone Secretion (b) Reduced osmotic pressure caused by loss of serum proteins (c) Increased sodium retention (d) Decreased glomerular filtration <p>164. The weight of placenta at term is about:</p> <ul style="list-style-type: none"> (a) 750 gm (b) 1500 gm (c) 500 gm (d) 1000 gm <p>165. HELLP syndrome is a complication of:</p> <ul style="list-style-type: none"> (a) Hepatitis (b) Leukaemia (c) AIDS (d) Pre-eclampsia <p>166. False unshakable belief exhibited by patients with psychosis is:</p> <ul style="list-style-type: none"> (a) Illusion (b) Delusion (c) Hallucination (d) Con-fabulation | <p>167. Senseless repetition of same words or phrases over and over again is termed as :</p> <ul style="list-style-type: none"> (a) Neologism (b) Echolalia (c) Perseveration (d) Verbigeration <p>168. In obstructive jaundice there will be:</p> <ul style="list-style-type: none"> (a) Elevated urinary urobilinogen (b) Clay coloured stools (c) Dark urine and stools (d) Fever and pruritus <p>169. 7th cranial nerve is:</p> <ul style="list-style-type: none"> (a) Glossopharyngeal (b) Abducens (c) Facial (d) Oculomotor <p>170. In an autoimmune disease of the neuromuscular junction, characterised by fluctuating weakness of certain skeletal muscles:</p> <ul style="list-style-type: none"> (a) Myasthenia Gravis (b) Alzheimers Disease (c) Scleroderma (d) Dementia <p>171. -----is a sexually transmitted disease:</p> <ul style="list-style-type: none"> (a) Gonorrhoea (b) Molluscum contagiosum (c) Acne vulgaris (d) Hepatitis A <p>172. -----is the separation and disruption of previously joined wound edges:</p> <ul style="list-style-type: none"> (a) Contracture (b) Dehiscence (c) Keloid (d) Evisceration |
|--|--|

173. First foetal movement perceived by mother:

- (a) Lightening
- (b) Quickening
- (c) Engagement
- (d) Internal ballottement

174. In vesicular mole this hormone is found in excess:

- (a) FSH
- (b) Oestrogen
- (c) Progesterone
- (d) HCG

175. A woman with 2 months of amenorrhoea and a positive pregnancy test is complaining of vaginal spotting and no pain. It may be suggestive of:

- (a) Missed abortion
- (b) Placenta praevia
- (c) Choriocarcinoma
- (d) Threatened abortion

176. -----must be checked prior to administration of digoxin:

- (a) Respiration
- (b) Heart rate
- (c) Temperature
- (d) BP

177. The mental mechanism in which blaming others for our own mistakes is termed as:

- (a) Projection
- (b) Displacement
- (c) Sublimation
- (d) Regression

178. Nevirapine is given in pregnancy :

- (a) to prevent measles
- (b) to prevent hepatitis
- (c) to reduce viral load in HIV infection
- (d) to prevent Rubella

179. The most populated country in the world is:

- (a) India
- (b) Australia
- (c) USA
- (d) China

180. Which of the following is not a component of Bishop's score:

- (a) Cervical length
- (b) Cervical dilations
- (c) Position of head
- (d) Station of head

181. In patient affected with HIV the organism will be present in all of the following except:

- (a) Blood
- (b) Semen
- (c) Vaginal Secretions
- (d) Sperm

182. -----is the largest gland in the body:

- (a) Thyroid
- (b) Pituitary
- (c) Liver
- (d) Adrenals

183. RNTCP is related with:

- (a) Poliomyelitis
- (b) Tuberculosis
- (c) Measles
- (d) Hepatitis

184. A side effect of ECT:

- (a) Anorexia
- (b) Hypotension
- (c) Confusion for a time after treatment
- (d) Loss of memory

185. Rickets results from deficiency of:

- (a) Vitamin C
- (b) Vitamin D
- (c) Vitamin B₁₂
- (d) Vitamin K

- | | |
|--|--|
| <p>186. Widal test is used diagnose:
 (a) Hepatitis (b) Heptospirosis
 (c) Typhoid fever (d) Tuberculosis</p> <p>187. Circle of villis is related with circulation of:
 (a) Heart (b) Kidney
 (c) Liver (d) Brain</p> <p>188. -----must be taken in empty stomach:
 (a) Rifampicin (b) Ampicillin
 (c) Paracetamol (d) INH</p> <p>189. All of the following are classical features of nephrotic syndrome except:
 (a) Hyperlipidaemia
 (b) Hypoalbuminaemia
 (c) Hypotension
 (d) Proteinuria</p> <p>190. Important side effect of cisplatinum is:
 (a) Bleeding tendencies
 (b) Hypotension
 (c) Liver failure
 (d) Nephrotoxicity</p> <p>191. After ovulation the ovum is viable for:
 (a) 6 - 8 hours (b) 8 - 12 hours
 (c) 24 - 36 hours (d) 48 - 72 hours</p> <p>192. Loss of power of expression by speech is :
 (a) Aphasi (b) Apraxia
 (c) Aplasia (d) Aphonias</p> <p>193. After surgical repair of a cleft lip for an infant it is important for the nurse:
 (a) Keeping the baby NPO
 (b) Keeping the baby from crying
 (c) Place in supine position
 (d) Give feeds by spoon</p> | <p>194. Chickenpox can be fatal to children who are receiving:
 (a) Antibiotics
 (b) Steroids
 (c) Anticonvulsants
 (d) Bronchodilators</p> <p>195. Congenital absence or closure of a normal body opening or tubular structure called:
 (a) Atony (b) Asthenia
 (c) Ataxia (d) Atresia</p> <p>196. The major role in maintaining fluid balance in the body is performed by the:
 (a) Liver (b) Kidney
 (c) Lungs (d) Heart</p> <p>197. Excessive menstrual bleeding is:
 (a) Menorrhagia
 (b) Epi menorrhoea
 (c) Poly menorrhoea
 (d) Oligo menorrhoea</p> <p>198. Antinuclear antibody (ANA) may be positive in :
 (a) Pneumonia
 (b) Myocardial infarctions
 (c) Autoimmune Disease
 (d) Syphilis</p> <p>199. -----should not be given when the baby is in utero:
 (a) Oxytocin (b) Ergometrine
 (c) Duvadilan (d) Prostaglandin</p> <p>200. Terbutaline is:
 (a) Antispasmodic (b) Vasodilator
 (c) Analgesic (d) Bronehodilator</p> |
|--|--|

ANSWERS

1. (b)	2. (a)	3. (c)	4. (a)	5. (d)	6. (b)	7. (c)	8. (a)
9. (d)	10. (a)	11. (a)	12. (a)	13. (b)	14. (d)	15. (b)	16. (b)
17. (a)	18. (c)	19. (d)	20. (c)	21. (d)	22. (a)	23. (b)	24. (c)
25. (b)	26. (d)	27. (c)	28. (d)	29. (a)	30. (a)	31. (b)	32. (c)
33. (a)	34. (b)	35. (c)	36. (d)	37. (d)	38. (c)	39. (a)	40. (b)
41. (c)	42. (a)	43. (d)	44. (d)	45. (a)	46. (b)	47. (c)	48. (a)
49. (d)	50. (b)	51. (c)	52. (a)	53. (d)	54. (d)	55. (b)	56. (b)
57. (c)	58. (a)	59. (c)	60. (a)	61. (b)	62. (a)	63. (c)	64. (d)
65. (a)	66. (b)	67. (c)	68. (d)	69. (b)	70. (c)	71. (a)	72. (b)
73. (a)	74. (a)	75. (d)	76. (c)	77. (a)	78. (b)	79. (c)	80. (d)
81. (c)	82. (b)	83. (b)	84. (c)	85. (a)	86. (c)	87. (b)	88. (a)
89. (b)	90. (c)	91. (b)	92. (d)	93. (a)	94. (c)	95. (b)	96. (d)
97. (c)	98. (d)	99. (d)	100. (a)	101. (a)	102. (c)	103. (c)	104. (b)
105. (a)	106. (a)	107. (b)	108. (c)	109. (b)	110. (a)	111. (a)	112. (d)
113. (a)	114. (a)	115. (d)	116. (c)	117. (d)	118. (b)	119. (d)	120. (a)
121. (c)	122. (d)	123. (b)	124. (b)	125. (b)	126. (c)	127. (b)	128. (a)
129. (c)	130. (c)	131. (d)	132. (b)	133. (c)	134. (a)	135. (b)	136. (a)
137. (b)	138. (b)	139. (b)	140. (c)	141. (b)	142. (b)	143. (c)	144. (d)
145. (a)	146. (b)	147. (a)	148. (b)	149. (a)	150. (a)	151. (d)	152. (b)
153. (a)	154. (c)	155. (d)	156. (a)	157. (d)	158. (d)	159. (a)	160. (b)
161. (c)	162. (b)	163. (b)	164. (c)	165. (d)	166. (b)	167. (d)	168. (b)
169. (c)	170. (a)	171. (a)	172. (b)	173. (b)	174. (d)	175. (d)	176. (b)
177. (a)	178. (c)	179. (d)	180. (c)	181. (d)	182. (c)	183. (b)	184. (c)
185. (b)	186. (c)	187. (d)	188. (a)	189. (c)	190. (d)	191. (d)	192. (a)
193. (b)	194. (b)	195. (d)	196. (b)	197. (a)	198. (c)	199. (b)	200. (d)